

ISSN 0006 8241 = Bothalia
ISBN 1-874907-32-3

BOTHALIA

CONTENTS TO VOLS 21-25

B.A. MOMBERG and J. MULVENNA



NATIONAL
*B*OTANICAL
INSTITUTE

TECHNICAL PUBLICATIONS OF THE NATIONAL BOTANICAL INSTITUTE, PRETORIA

Obtainable from the National Botanical Institute, Private Bag X101, Pretoria 0001, Republic of South Africa. A catalogue of all available publications will be issued on request.

BOTHALIA

Bothalia is named in honour of General Louis Botha, first Premier and Minister of Agriculture of the Union of South Africa. This house journal of the National Botanical Institute, Pretoria, is devoted to the furtherance of botanical science. The main fields covered are taxonomy, ecology, anatomy and cytology. Two parts of the journal and an index to contents, authors and subjects are published annually.

A booklet of the contents to Vols 1–20 is available.

STRELITZIA

A series of occasional publications on southern African flora and vegetation, replacing *Memoirs of the Botanical Survey of South Africa* and *Annals of Kirstenbosch Botanic Gardens*.

MEMOIRS OF THE BOTANICAL SURVEY OF SOUTH AFRICA

The memoirs are individual treatises usually of an ecological nature, but sometimes dealing with taxonomy or economic botany. Published: Nos 1–63 (many out of print). Discontinued after No. 63.

ANNALS OF KIRSTENBOSCH BOTANIC GARDENS

A series devoted to the publication of monographs and major works on southern African flora. Published: Vols 14–19 (earlier volumes published as Supplementary volumes to the *Journal of South African Botany*). Discontinued after Vol. 19.

FLOWERING PLANTS OF AFRICA (FPA)

This serial presents colour plates of African plants with accompanying text. The plates are prepared mainly by the artists at the National Botanical Institute. Many well known botanical artists have contributed to the series, such as Cythna Letty (over 700 plates), Kathleen Lansdell, Stella Gower, Betty Connell, Peter Bally, Fay Anderson, Ellaphie Ward-Hilhorst and Gillian Condy. The Editor is pleased to receive living plants of general interest or of economic value for illustration.

From Vol. 55, twenty plates are published at irregular intervals.

An index to Vols 1–49 is available.

FLORA OF SOUTHERN AFRICA (FSA)

A taxonomic treatise on the flora of the Republic of South Africa, Lesotho, Swaziland, Namibia and Botswana. The *FSA* contains descriptions of families, genera, species, infraspecific taxa, keys to genera and species, synonymy, literature and limited specimen citations, as well as taxonomic and ecological notes.

Contributions to the *FSA* also appear in *Bothalia*.

PALAEOFLORA OF SOUTHERN AFRICA

A palaeoflora on a pattern comparable to that of the *Flora of southern Africa*. Much of the information is presented in the form of tables and photographic plates depicting fossil populations. Now available:

Moltano Formation (Triassic) Vol. 1. Introduction. *Dicroidium*, by J.M. & H.M. Anderson.

Moltano Formation (Triassic) Vol. 2. Gymnosperms (excluding *Dicroidium*), by J.M. & H.M. Anderson.

Prodromus of South African Megafloras. Devonian to Lower Cretaceous, by J.M. & H.M. Anderson. Obtainable from: A.A. Balkema Marketing, Box 317, Claremont 7735, RSA.

BOTHALIA

CONTENTS TO VOLS 21-25

B.A. MOMBERG and J. MULVENNA

Scientific Editor: O.A. Leistner

Technical Editor: B.A. Momberg



NATIONAL
*B*OTANICAL
INSTITUTE

ISSN 0006 8241

ISBN 1-874907-32-3

1996

© and published by the National Botanical Institute, Private Bag X101, Pretoria 0001. Tel. (012) 804-3200. Typesetting and layout: S.S. Brink (NBI). Reproduction: Vari Productions, 297B Lynnwood Rd, Menlo Park 0081. Tel. (012) 342-5820. Printed by: Promedia Printers, P.O. Box 255, Silverton 0127. Tel. (012) 803-9084.



Digitized by the Internet Archive
in 2025

LIST OF AUTHORS AND TITLES

Co-authors are listed showing the year, volume and first author in brackets

- ALBERS, F. & MEVE, U. 1991. Mixoploidy and cyto-types: a study of possible vegetative species differentiation in stapeliads (Asclepiadaceae). 21,1: 67–72.
- ALLSOPP, N. & STOCK, W.D. 1993. Mycorrhizal status of plants growing in the Cape Floristic Region, South Africa. 23,1: 91–104.
- ANDREWS, S. 1994. FSA contributions 1: Aquifoliaceae. 24,2: 163–166.
- ARCHER, R. 1991. 21,2. (De Wet, B.C.).
- ARRIAGA, M.O. 1992. Salt glands in flowering culms of *Eriochloa* species (Poaceae). 22,1: 111–117.
- BACKER, A.P. 1992. 22,2. (Weisser, P.J.).
- BAIJNATH, H. 1995. 25,2. (Retief, E.).
- BALKWILL, K. & BALKWILL, M-J. 1994. Review. Flora of Australia Vol. 50: Oceanic Islands 2, ed. by A.S. George, A.E. Orchard, H.J. Hewson & H.S. Thompson. 1993. 24,2: 262.
- 1995. Review: Flora of Australia Vol. 49: Oceanic Islands 1, ed. by A.E. Orchard & A.J.G. Wilson. 1994. 25,1: 127, 128.
- BALKWILL, M-J. 1994. 24,2. (Balkwill, K.).
- 1995. 25,1. (Balkwill, K.).
- BARKER, N.P. 1992. Obituary: Lucy Kathleen Armitage Chippindall (1913–1992). 22,2: 299, 300.
- 1993. A biosystematic study of *Pentameris* (Arundineae, Poaceae). 23,1: 25–47.
- 1994. External fruit morphology of southern African Arundineae (Arundinoideae: Poaceae). 24,1: 55–66.
- 1995. A systematic study of the genus *Pseudopentameris* (Arundinoideae: Poaceae). 25,2: 141–148.
- BARKER, N.P. & ELLIS, R.P. 1991. A new species of *Merxmüllera* (Arundineae, Poaceae) from South Africa. 21,1: 27–34.
- BEYERS, J.B.P. 1995. A new species of *Trichogyne* from Namaqualand (Asteraceae). 25,1: 107–109.
- BEYERS, J.B.P. & VAN DER WALT, J.J.A. 1994. Inflorescence morphology of *Lachnaea* and *Cryptadenia* (Thymelaeaceae). 24,2: 195–202.
- 1995. The generic delimitation of *Lachnaea* and *Cryptadenia* (Thymelaeaceae). 25,1: 65–85.
- BREDENKAMP, C.L. & SMITH, G.F. 1993. A '*Bequaertiodendron*' by any other name? (Sapotaceae). 23,2: 235, 236.
- BREDENKAMP, G.J. 1992. 22,2. (Myburgh, W.J.).
- 1993. 23,1. (Eckhardt, H.C.).
- BREYTENBACH, P.J.J. 1992. 22,2. (Myburgh, W.J.).
- BRINK, E. 1992. 22,2. (Wells, M.J.).
- BROOKS, R. & OWEN-SMITH, N. 1994. Plant defences against mammalian herbivores: are juvenile *Acacia* more heavily defended than mature trees? 24,2: 211–215.
- BROWNING, J., GORDON-GRAY, K.D. & WARD, C.J. 1995. New records for southern Africa and KwaZulu-Natal (Cyperaceae). 25,2: 238, 239.
- BRUSSE, F. 1991. Two new species in the Agryriaceae (lichenized Ascomycotina, Lecanorales) from southern Africa (Lichenes). 21,2: 154–156.
- 1992a. A new species of *Bullatina* from the Transkei Wild Coast (Lichenes–Gomphyllaceae). 22,1: 44–46.
- 1992b. A new species in the lichen genus *Heterodermia*, from coastal Namaqualand (Pyxinaceae). 22,2: 183–185.
- BRUYNS, P. 1992. Notes on *Euphorbia* species from the northwestern Cape (Euphorbiaceae). 22,1: 37–42.
- 1993. A new species of *Kedrostis* from the western Cape (Cucurbitaceae). 23,2: 233–235.
- 1995. New records and new species of Asclepiadaceae from Namibia. 25,2: 155–172.
- BUKENYA, Z.R. 1995. 25,1. (Oryem-Origa, H.).
- BUKENYA, Z.R. & CARASCO, J.F. 1995. *Solanum* (Solanaceae) in Uganda. 25,1: 43–59.
- BURROWS, J.E. & CROUCH, N.R. 1995. New distribution records of South African pteridophytes (Pteridophyta). 25,2: 236–238.
- BURROWS, J.E. & EDWARDS, T.J. 1993. Nomenclatural changes and additions to the genus *Ophioglossum* in Africa (Ophioglossaceae: Pteridophyta). 23,2: 185–190.
- 1995. A new species and a change in status in *Ophioglossum* (Ophioglossaceae: Pteridophyta) in Africa. 25,1: 61–63.
- BUYS, M.H. & VAN DER WALT, J.J.A. 1994a. The correct author citation for *Lobostemon montanus* (Boraginaceae). 24,1: 35.
- 1994b. *Lobostemon regulareflorus*—the correct name for *L. grandiflorus* (Boraginaceae). 24,2: 170.
- 1995. Typification of the sections in *Lobostemon* (Boraginaceae). 25,2: 233.
- CAMPBELL, B.M., CUNLIFFE, R.N. & GAMBIZA, J. 1995. Vegetation structure and small-scale pattern in Miombo Woodland, Marondera, Zimbabwe. 25,1: 121–126.
- CARASCO, J.F. 1995. 25,1. (Bukeny, Z.R.).
- CILLIERS, S.S. 1993. Synopsis of the genus *Brachylaena* (Asteraceae) in southern Africa. 23,2: 175–184.
- COMPTON, S.G. 1992. New records of *Ficus* species and their pollinators on Grand Comore (Moraceae). 22,1: 46, 47.
- CRON, G.V., VAN WYK, B.-E. & VINCENT, P.L.D. 1994. Chromosome counts for seven species of *Cineraria* (Senecioneae, Asteraceae). 24,1: 91, 92.
- CROUCH, N.R. 1995. 25,2. (Burrows, J.E.).
- CUNLIFFE, R.N. 1995. 25,1. (Campbell, B.M.).
- DAVIS, G.W. 1994. Review: Modelling biological populations in space and time, by E. Renshaw. 1991. 24,1: 119.
- DE WET, B.C., ARCHER, R., FISH, L., GERMISHUIZEN, G., HERMAN, P.P., JORDAAN, M., PEROLD, S.M., REID, C., VAN ROOY, J., WELMAN, W.G. & GLEN, H.F. 1991. New taxa, new records and name changes for southern African plants. 21,2: 191–213.
- DREYER, L.L. & VAN DER WALT, J.J.A. 1991. The correct author citation for *Pelargonium* section *Cor-tusina* (Geraniaceae). 21,2: 157.

- DU PLESSIS, E. 1992. Review: South West African Botany, by W. Giess. 1989. 22,2: 155.
- DU PLESSIS, H. 1991. 21,2. (Spies, J.J.).
- DU PREEZ, P.J. & ZIETSMAN, P.C. 1991. A unique locality for *Oleandra distenta*, the first recorded for the Orange Free State (Pteridophyta). 21,1: 65, 66.
- ECKHARDT, H.C., VAN ROOYEN, N. & BREDEKAMP, G.J. 1993. The vegetation of the north-eastern Orange Free State, South Africa: physical environment and plant communities of the Ea land type. 23,1: 117–127.
- EDWARDS, T.J. 1993. Notes on the genus *Argyrolobium* (Crotalariaeae) including a new species from southern Africa (Fabaceae). 23,1: 77–79.
- 1993. 23,2. (Burrows, J.E.).
- 1995. 25,1. (Burrows, J.E.).
- EDWARDS, T.J., KUNHARDT, C. & VENTER, S. 1992. Notes on the genus *Streptocarpus* (Gesneriaceae). 22,2: 192–194.
- ELLIS, R.P. 1991. 21,1. (Barker, N.P.).
- 1993. 23,1. (Smook, L.).
- FELLINGHAM, A.C. 1991. 21,1. (Oliver, E.G.H.).
- 1992. 22,1. (Oliver, E.G.H.).
- 1993a. Observations on *Cliffortia micrantha* (Rosaceae). 23,1: 65, 66.
- 1993b. *Cliffortia fasciculata*, a superfluous name for *C. amplexistipula* (Rosaceae). 23,1: 67, 68.
- 1994. *Cliffortia longifolia*, A 'good' species or should it be a variety under *C. strobilifera*? (Rosaceae). 24,1: 31–34.
- 1994. 24,2. (Oliver, E.G.H.).
- 1995. A new species of *Cliffortia* from the Swartberg (Rosaceae). 25,1: 104–107.
- FELLINGHAM, A.C. & MEYER, N.L. 1995. New combinations and a complete list of *Asparagus* species in southern Africa (Asparagaceae). 25,2: 205–209.
- FISH, L. 1991. 21,2. (De Wet, B.C.).
- 1995. Review: A key to Australian grasses, 2nd edn, by B.K. Simon, 1993. 25,1: 127.
- FRANKLIN HENNESSY, E.F. 1991. Erythrineae (Fabaceae) in southern Africa. 21,1: 1–25.
- FRIIS, Ib. 1995. 25,1. (Vorster, P.).
- GAMBIZA, J. 1995. 25,1. (Campbell, B.M.).
- GELDENHUIJS, C.J. 1992. Richness, composition and relationships of the floras of selected forests in southern Africa. 22,2: 205–233.
- GERMISHUIZEN, G. 1991a. Review: Flora of south-eastern Queensland Vol. 1, by T.D. Stanley & E.M. Ross. 1983. 21,1: 115.
- 1991b. *Caesalpinia bracteata*, a new species from the Onseepkans area of the northern Cape Province (Fabaceae). 21,2: 152–154.
- 1991. 21,2. (De Wet, B.C.).
- 1992. *Lessertia sneeuwbergensis*, a new species from the Middelburg District of the central Cape Province (Fabaceae). 22,2: 189, 190.
- GLEN, H.F. 1991. 21,2. (De Wet, B.C.).
- 1994. 24,1. (Smith, G.F.).
- 1995. 25,2. (Leistner, O.A.).
- 1995. 25,2. (Smith, G.F.).
- GLEN, H.F. & HARDY, D.S. 1991. The type specimen of *Aloe soutpansbergensis* (Liliaceae/Asphodelaceae). 21,2: 151, 152.
- GLEN, H.F. & SMITH, G.F. 1995. Notes on the typification of some species of *Aloe* (Asphodelaceae/Aloaceae). 25,1: 37–42.
- GLEN, H.F. SMITH, G.F. & HARDY, D.S. 1995. Typification of *Aloe* species described by B.H. Groenewald (Asphodelaceae/Aloaceae). 25,1: 97–99.
- GLEN, H.F. & WELMAN, W.G. 1995. Obituary: Friedrich von Breitenbach OMS (1916–1995). 25,2: 260–264.
- GOBETZ, P.N. 1993. 23,1. (Midgley, J.J.).
- GORDON-GRAY, K.D. 1995. 25,2. (Browning, J.).
- GORTER, G.J.M.A. 1993. First report on the presence of *Enterobryus* species (Trichomycetes: Eccrinales) in South Africa and the description of three new species. 23,1: 85–90.
- GOYDER, D.J. 1992. 22,1. (Nicholas, A.).
- 1993. 23,2. (Nicholas, A.).
- GRANGER, J.E. 1991. 21,1. (Shackleton, C.M.).
- GUIDE FOR AUTHORS TO BOTHALIA. 1991: 21,1: 117–124. 1992: 22,1: 157–164. 1993: 23,2: 339–347. 1994: 24,2: 263–271. 1995: 25,2: 277–285.
- HALL, C.M. 1992. 22,2. (Weisser, P.J.).
- HARDY, D.S. 1991. 21,2. (Glen, H.F.).
- 1995. 25,1. (Glen, H.F.).
- HARTLEY, I.H. 1991. *Microdon bracteanus*—the correct name for *M. lucidus* (Selaginaceae). 21,1: 57–59.
- HELME, N.A. & LINDER, H.P. 1992. Morphology, evolution and taxonomy of *Wachendorfia* (Haemodora-ceae). 22,1: 59–75.
- HENDERSON, L. 1991a. Invasive alien woody plants of the Orange Free State. 21,1: 73–89.
- 1991b. Invasive alien woody plants of the northern Cape. 21,2: 177–189.
- 1992. Invasive alien woody plants of the eastern Cape. 22,1: 119–143.
- HENNESSY, E.F. & RODMAN, S. 1995. A note on *Combretum* subgenus *Combretum* section *Macrostigmatea* (Combretaceae). 25,2: 149–153.
- HERMAN, P.P.J. 1991. *Stachytarpheta* species in southern Africa (Verbenaceae). 21,1: 57.
- 1991. 21,2. (De Wet, B.C.).
- 1995a. A new species in the genus *Clerodendrum* (Verbenaceae). 25,1: 100–102.
- 1995b. A note on *Ursinia brachyloba* (Asteraceae). 25,2: 244.
- 1995c. A new combination in *Cotula* (Asteraceae). 25,2: 244, 245.
- HIREMATH, S.C. & SALIMATH, S.S. 1991. On the origin of *Eleusine africana* (Poaceae). 21,2: 161, 162.
- IMMELMAN, K.L. 1991. Synopsis of the genera *Nesaea* and *Ammannia* (Lythraceae) in southern Africa. 21,1: 35–49.
- 1992. Studies in the *Justicia* and *Siphonoglossa* (Acanthaceae) species of southern Africa: final conclusions. 22,2: 171–175.
- IN MEMORIAM. 1995. 25,1: 131.
- JORDAAN, M. 1991. 21,2. (De Wet, B.C.).
- JOUBERT, C. & MOLL, E.J. 1992. A phytosociological study of Signal Hill, Cape Town, utilizing both perennial and ephemeral species. 22,2: 255–282.
- JÜRGENS, N. 1992. Review: Life strategies of succulents in deserts. With special reference to the Namib desert, by D.J. von Willert, B.M. Eller, M.J.A. Werger, E. Brinckmann & H.-D. Ihlenfeldt. 1992. 22,2: 313.
- KAKUDIDI, E.K.Z. 1995. 25,1. (Oryem-Origa, H.).

- KÄRNEFELT, E.I. 1994. A life dedicated to lichens and literature, Ove Almborn (30-07-1914–06-03-1992). 24,1: 111–116.
- KATENDE, A.B. 1995. 25,1. (Oryem-Origa, H.).
- KILLICK, D.J.B. 1994. Review: A field guide to the Natal Drakensberg, by Dave & Pat Irwin. 1992. 24,1: 117, 118.
- KOEKEMOER, M. 1991. New species in the genus *Disparago* (Asteraceae). 21,2: 158–161.
- 1993. Synopsis of the genus *Disparago* (Asteraceae). 23,2: 197–206.
- KUNHARDT, C. 1992. 22,2. (Edwards, T.J.).
- KURZWEIL, H. 1992. An analysis of the orchid flora of Mt Mulanje, Malawi. 22,2: 235–243.
- 1994. Review: Phylogeny and classification of the orchid family, by R.L. Dressler. 1993. 24,1: 118.
- LEISTNER, O.A., SMITH, G.F. & GLEN, H.F. 1995. Notes on *Podocarpus* in southern Africa and Madagascar (Podocarpaceae). 25,2: 233–236.
- LINDER, H.P. 1991. *Aira praecox*, a new record from southern Africa (Poaceae). 21,1: 55.
- 1992. 22,1. (Helme, N.A.).
- MAGGS, G.L. 1992. 22,2. (Vorster, P.).
- MANNING, J. 1992. 22,2. (Rourke, J.P.).
- 1995. Review: Diversity and evolutionary biology of tropical flowers, by P.K. Endress. 1994. 25,1: 128, 129.
- MCDONALD, D.J. 1993a. The vegetation of the southern Langeberg, Cape Province. 1. The plant communities of the Boosmansbos Wildernes Area. 23,1: 129–151.
- 1993b. The vegetation of the southern Langeberg, Cape Province. 2. The plant communities of the Marloth Nature Reserve. 23,1: 153–174.
- 1993c. The vegetation of the southern Langeberg, Cape Province. 3. The plant communities of the Bergfontein, Rooiwaterspruit and Phesantfontein areas. 23,2: 239–263.
- MCKENZIE, B. 1991. 21,1. (Shackleton, C.M.).
- MENTIS, M.T. 1991. 21,1. (Shackleton, C.M.).
- MEVE, U. 1991. 21,1. (Albers, F.).
- MEYER, N.L. 1995. 25,2. (Fellingham, A.C.).
- MIDGLEY, J.J. 1993. An evaluation of Hutchinson's 'beetle-daisy' hypothesis (Asteraceae). 23,1: 70–72.
- MIDGLEY, J.J. & GOBETZ, P.N. 1993. Dynamics of the forest vegetation of the Umtiza Nature Reserve, East London. 23,1: 111–116.
- MILTON, S.J. 1992. 22,1. (Roux, J.P.).
- MINNE, L., SPIES, J.J., VENTER, H.J.T. & VENTER, A.M. 1994. Breeding systems in some representatives of the genus *Lycium* (Solanaceae). 24,1: 107–110.
- MOFFETT, R.O. 1994. Names of the southern African species of *Rhus* (Anacardiaceae) and their etymology. 24,1: 67–76.
- MOLL, E.J. 1992. 22,2. (Joubert, C.).
- 1993. 23,2. (Mustart, P.J.).
- MOLONEY, C.L. 1992. 22,1. (Roux, J.P.).
- MOMBERG, B.A. 1994. Compiler: National Botanical Institute: list of staff and publications, 31st March 1994. 24,2: 247–259.
- 1995a. Author citation 'ex Krauss' in nomenclature. 25,2: 245.
- 1995b. Compiler: National Botanical Institute: list of staff and publications, 31st March 1995. 25,2: 265–276.
- MUSTART, P.J., MOLL, E.J. & TAYLOR, H.C. 1993. The efficient use of small plots in a fynbos phytosociological study in the northern Cederberg: a quick way to collect plant-environmental data. 23,2: 265–269.
- MYBURGH, W.J., BREYTENBACH, P.J.J., THERON, G.K. & BREDENKAMP, G.J. 1992. Die fitososiologie van die Bankenveld in die Grootvlei-omgewing, Suid-Transvaal. 22,2: 245–254.
- NATIONAL BOTANICAL INSTITUTE, SOUTH AFRICA. List of staff and publications. 1991: 21,2: 215–226. 1992: 22,2: 301–312. 1993: 23,2: 327–337. 1994: 24,2: 247–259. 1995: 25,2: 265–276.
- NICHOLAS, A. 1995. 25,2. (Retief, E.).
- NICHOLAS, A. & GOYDER, D.J. 1992. *Aspidonepsis* (Asclepiadaceae), a new southern African genus. 22,1: 23–35.
- 1993. Validation of the combination *Aspidonepsis ree-nensis* (Asclepiadaceae): the type species of the subgenus *Unguilibium* (Asclepiadaceae). 23,2: 236, 237.
- O'CALLAGHAN, M. 1994a. The saltmarsh vegetation of Langebaan Lagoon. 24,2: 217–222.
- 1994b. The saltmarsh vegetation of the lower Berg River. 24,2: 223–228.
- 1994c. The saltmarsh vegetation of the lower Uilkraals River. 24,2: 229–233.
- 1994d. The marsh vegetation of Kleinmond Lagoon. 24,2: 235–240.
- O'CONNOR, T.G. 1994. Review: An African savanna. Synthesis of the Nylsvley study, by R.J. Scholes & B.H. Walker. 1993. 24,2: 261, 262.
- OLIVER, E.G.H. 1991. Obituary: Hedley Brian Rycroft (1918–1990). 21,1: 109–114.
- 1993a. Studies in the Ericoideae (Ericaceae). XII. The placing of the genus *Blaeria* into synonymy under *Erica*; nomenclatural and taxonomic changes for the southern African region. 23,1: 1–7.
- 1993b. Studies in the Ericoideae (Ericaceae). XIII. Three new species of *Erica* from the southwestern Cape. 23,1: 9–14.
- 1993c. A new species of *Oxalis* from the western Cape (Oxalidaceae). 23,1: 72–74.
- 1994. Studies in the Ericoideae (Ericaceae) XV. The generic relationship between *Erica* and *Ericinella*. 24,2: 121–126.
- 1995. A new species of *Erica* from the Western Cape (Ericaceae). 25,2: 242–244.
- OLIVER, E.G.H. & FELLINGHAM, A.C. 1991. A new species of *Cliffortia* from the south-western Cape (Rosaceae). 21,1: 60–62.
- 1994. A new serotinous species of *Cliffortia* (Rosaceae) from the southwestern Cape with notes on *Cliffortia arborea*. 24,2: 153–162.
- OLIVER, E.G.H., FELLINGHAM, A.C. & VAN WYK, B.-E. 1992. A new species of *Priestleya* from the southwestern Cape (Fabaceae). 22,1: 47–51.
- OLIVER, E.G.H. & OLIVER, INGE M. 1991. Studies in the Ericoideae (Ericaceae). VIII. New species in *Erica*, section *Pseuderemia* from southern Africa. 21,2: 137–142.
- 1994. Studies in the Ericoideae (Ericaceae). XIV. Notes on the genus *Erica*. 24,1: 25–30.
- 1995. Studies in the Ericoideae (Ericaceae). XVI. Six new species of *Erica* from the Western Cape, South Africa. 25,1: 87–95.
- OLIVER, I.M. 1991. 21,2. (Oliver, E.G.H.).
- 1994. 24,1. (Oliver, E.G.H.).
- 1995. 25,1. (Oliver, E.G.H.).

- ORYEM-ORIGA, H., KAKUDIDI, E.K.Z., KATENDE, A.B. & BUKENYA, Z.R. 1995. Preliminary ethnobotanical studies of the Rwenzori Mountain forest area in Bundibugyo District, Uganda. 25,1: 111–119.
- OWEN-SMITH, N. 1994. 24,1. (Brooks, R.).
- PARKINSON, B.M. 1994. Morphological and ultrastructural variations in *Schizaea pectinata* (Schizaeaceae: Pteridophyta). 24,2: 203–210.
- PEROLD, S.M. 1991a. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 22. *R. rubricollis*, now validated, typified and described. 21,1: 51–54.
- 1991b. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 23. *R. bullosa*: typification and a full description. 21,2: 129–135.
- 1991. 21,2. (De Wet, B.C.).
- 1992a. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 24. *R. moenkemeyeri*, subgenus *Ricciella*: new records. 22,1: 19–22.
- 1992b. The occurrence in southern Africa of the hepatic, *Symphyogyna brasiliensis* (Pallaviciniaceae). 22,1: 53–58.
- 1992c. *Cololejeunea cardiocarpa*, an epiphyllous liverwort in southern Africa (Lejeuneaceae). 22,2: 177–182.
- 1992d. Lectotypification of *Riccia crystallina* (Ricciaceae). 22,2: 185–187.
- 1992. 22,1. (Van Rooy, J.).
- 1992. 22,2. (Van Rooy, J.).
- 1993a. The hepatics, *Symphyogyna podophylla* and *Pallavicinia lyelii* (Pallaviciniaceae) in southern Africa. 23,1: 15–23.
- 1993b. Studies in the Marchantiales (Hepaticae) from southern Africa. 1. The genus *Dumortiera* and *D. hirsuta*; the genus *Lunularia* and *L. cruciata*. 23,1: 49–57.
- 1993c. The hepatic, *Calycularia crispula* (Metzgeriales) reported from Malawi and Zambia (Allisoniaceae). 23,1: 79–83.
- 1993d. Studies in the Marchantiales (Hepaticae) from southern Africa. 2. The genus *Athalamia* and *A. spathysii*; the genus *Oxymitra* and *O. cristata*. 23,2: 207–214.
- 1993e. Studies in the Marchantiales (Hepaticae) from southern Africa. 3. The genus *Targionia* and *T. hypophylla* with notes on *T. lorbeeriana* and *Cyathodium foetidissimum* (Targioniaceae). 23,2: 215–221.
- 1993f. The hepatic, *Jensenia spinosa* (= *Pallavicinia stephanii*: Pallaviciniaceae) in southern Africa. 23,2: 223–229.
- 1994a. Studies in the Marchantiales (Hepaticae) from southern Africa. 4. *Mannia capensis*, section and subgenus *Xeromannia* (Aytoniaceae). 24,1: 9–14.
- 1994b. Studies in the Marchantiales (Hepaticae) from southern Africa. 5. The genus *Exormothea*, *E. pustulosa* and *E. holstii*. 24,1: 15–23.
- 1994c. Studies in the Marchantiales (Hepaticae) from southern Africa. 6. The genus *Asterella* (Aytoniaceae: Reboulidioideae) and its four local species. 24,2: 133–147.
- 1994d. Studies in the Marchantiales (Hepaticae) from southern Africa. 7. The genus *Cryptomitrium* (Aytoniaceae) and *C. oreades* sp. nov. 24,2: 149–152.
- 1995a. Studies in the Marchantiales (Hepaticae) from southern Africa. 8. The genus *Plagiochasma* (Aytoniaceae: Aytonioideae) and six local taxa. 25,1: 13–29.
- 1995b. Studies in the Marchantiales (Hepaticae) from southern Africa. 9. The genus *Marchantia* and its five local species. 25,2: 183–204.
- 1995c. The taxonomic history of the Ricciaceae (1937–1995) and a classification of sub-Saharan Ricciaceae. 25,2: 211–231.
- 1995d. Fruiting *Lunularia cruciata*, now also reported from southern Africa (Lunulariaceae). 25,2: 239–242.
- PIENAAR, B.J. 1993. *Vigna kokii*, a new species from southern Africa (Fabaceae). 23,1: 68–70.
- REID, C. 1991. 21,2. (De Wet, B.C.).
- 1992. Review: Flora of south-eastern Queensland Vol. III, by T.D. Stanley & E.M. Ross. 1989. 22,1: 155.
- RETIEF, E. 1991. A new species of *Zygophyllum* from the Cape Province (Zygophyllaceae). 21,1: 55–57.
- 1993. A new species of *Rhoicissus* from the Transvaal (Vitaceae). 23,2: 231–233.
- RETIEF, E., NICHOLAS, A. & BAIJNATH, H. 1995. The psocid *Liposcelis bostrychophilus* Badonnel (Psocoptera: Liposcelidae): an occasional herbarium pest. 25,2: 247–253.
- ROBBERTSE, P.J. 1994. Review: Morphology of flowers and inflorescences, by F. Weberling. 24,1: 118, 119.
- ROBERTS, D.C. 1993. The vegetation ecology of municipal Durban, Natal. Floristic classification. 23,2: 271–326.
- RODMAN, S. 1995. 25,2. (Hennessy, E.F.).
- ROURKE, J.P. 1991a. *Tetraclinis articulata*, a hitherto unrecorded naturalised alien conifer in South Africa (Cupressaceae). 21,1: 62–64.
- 1991b. Review: Flora of south-eastern Queensland Vol. II., by T.D. Stanley & E.M. Ross. 1986. 21,2: 227.
- 1992a. The correct author citation for *Paranomus reflexus* (Proteaceae). 22,1: 43.
- 1992b. *Stilbe verticillata*, the correct name for the species previously known as *Stilbe mucronata* (Stilbaceae). 22,2: 192.
- 1994a. Three new species of *Serruria* (Proteaceae) from the southwestern Cape. 24,1: 1–7.
- 1994b. A new species of *Leucospermum* from the southwestern Cape (Proteaceae). 24,2: 167–170.
- 1995. Obituary: Winsome (Buddy) Barker (1907–1994). 25,2: 255–259.
- ROURKE, J.P. & MANNING, J.C. 1992. The Ven. Charles Theophilus Hahn, a hitherto unknown Edwardian botanical illustrator in Natal, 1908–1916. 22,2: 145–153.
- ROUX, J.P. 1992. Systematic studies in the genus *Mohria* (Anemiaceae: Pteridophyta). III. Comparative sporangium and spore morphology. 22,2: 199–204.
- 1993a. A new cytotype for *Acrostichum aureum* (Pteridophyta–Adiantaceae). 23,1: 75.
- 1993b. Systematic studies in the genus *Mohria* (Anemiaceae: Pteridophyta). IV. Comparative gametophyte morphology of *Mohria* and *Anemia*. 23,2: 191–196.
- 1994. Systematic studies in the genus *Mohria* (Anemiaceae). V. Karyology (Pteridophyta). 24,1: 97–99.
- 1995. Systematic studies in the genus *Mohria* (Pteridophyta: Anemiaceae). VI. Taxonomic review. 25,1: 1–12.
- ROUX, J.P., RYAN, P.G., MILTON, S.J. & MOLONEY, C.L. 1992. Vegetation and checklist of Inaccessible

- Island, central South Atlantic Ocean, with notes on Nightingale Island. 22,1: 93–109.
- RUTHERFORD, M.C. 1991. Review: Germination physiology and desert ecology, guest edited by A.M. Mayer & G. Orshan. 21,2: 227, 228.
- RYAN, P.G. 1992. 22,1. (Roux, J.P.).
- SAAYMAN, E.J.L. 1991. 21,2. (Spies, J.J.).
- SALIMATH, S.S. 1991. 21,2. (Hiremath, S.C.).
- SCHRIRE, B.D. 1992. New combinations and resurrected names in *Microcharis* and *Indigastrum* (Fabaceae–Papilionoideae). 22,2: 165–170.
- SCHUTTE, A. LOUISE. 1992. An overview of *Penicillium* (Hyphomycetes) and associated teleomorphs in southern Africa. 22,1: 77–91.
- 1994. An overview of *Aspergillus* (Hyphomycetes) and associated teleomorphs in southern Africa. 24,2: 171–185.
- SCHUTTE, A.L. 1992. *Cyclopia squamosa* (Podalyriaceae), a new species from the southwestern Cape Province (Fabaceae). 22,2: 190–192.
- SCHUTTE, A.L. & VAN WYK B.-E. 1991. A new species of *Amphithalea* (Fabaceae–Lipariaceae). 21,1: 59.
- 1992. A new species of *Coelidium* (Fabaceae–Lipariaceae). 22,2: 188, 189.
- SHACKLETON, C.M., GRANGER, J.E., MCKENZIE, B. & MENTIS, M.T. 1991. Multivariate analysis of coastal grasslands at Mkambati Game Reserve, north-eastern Pondoland, Transkei. 21,1: 91–107.
- SILVA, S.M.F. 1991. Cyanophyceae associated with mangrove trees at Inhaca Island, Mozambique. 21,2: 143–150.
- SMITH, E.C.A. 1992. 22,2. (Weisser, P.J.).
- SMITH, G.F. 1991. The chromosomes of *Chortolirion* and *Poellnitzia* (Asphodelaceae: Alooideae). 21,2: 171–175.
- 1992. Lectotypification of *Apicra jacobseniana* (Alooideae, Liliaceae/Asphodelaceae). 22,2: 196, 197.
- 1993. 23,2. (Bredenkamp, C.L.).
- 1995. 25,1. (Glen, H.F.).
- 1995. 25,2. (Leistner, O.A.).
- 1995a. FSA contributions 2: Asphodelaceae/Aloaceae, 1029010 *Chortolirion*. 25,1: 31–33.
- 1995b. FSA contributions 3: Asphodelaceae/Aloaceae, 1028010 *Poellnitzia*. 25,1: 35, 36.
- SMITH, G.F. & GLEN, H.F. 1995. Obituary: Alan Percy-Lancaster (1944–1995). 25,2: 259, 260.
- SMITH, G.F., VAN WYK, B.-E. & GLEN, H.F. 1994. *Aloe barberae* to replace *A. bainesii* (Asphodelaceae/Aloaceae). 24,1: 34, 35.
- SMITH, G.F., VAN WYK, B.-E. & VAN JAARSVELD, E.J. 1994. Was *Gasteria nitida* var. *armstrongii* validly published? (Asphodelaceae/Aloaceae). 24,1: 34.
- SMOOK, L. & ELLIS, R.P. 1993. *Panicum simulans* (Paniceae, Poaceae), a new species from southern Africa and its leaf anatomy. 23,1: 59–64.
- SNIJMAN, D.A. 1991. *Kamiesbergia*, a new monotypic genus of the Amaryllideae–Strumariinae (Amaryllidaceae) from the north-western Cape. 21,2: 125–128.
- 1992. Notes on the Strumariinae (Amaryllidaceae–Amaryllideae). Six new taxa in *Strumaria* and *Hessea* from the central and northwestern Cape, South Africa, and southern Namibia. 22,1: 1–11.
- SNIJMAN, D.A. & WILLIAMSON, G. 1994. A taxonomic re-assessment of *Ammocharis herrei* and *Cy-bistetes longifolia* (Amaryllideae: Amaryllidaceae). 24,2: 127–132.
- SPIES, J.J., TROSKIE, T.H., VAN DER VYVER, E. & VAN WYK, S.M.C. 1994. Chromosome studies on African plants. 11. The tribe Andropogoneae (Poaceae: Panicoideae). 24,2: 241–246.
- SPIES, J.J. 1994. 24,1. (Minne, L.).
- 1994. 24,1. (Strydom, A.).
- SPIES, J.J., VAN DER MERWE, E., DU PLESSIS, H. & SAAYMAN, E.J.L. 1991. Basic chromosome numbers and polyploid levels in some South African and Australian grasses (Poaceae). 21,2: 163–170.
- STEINER, K.E. 1992. Three new species of *Diascia* (Scrophulariaceae) from the western Cape. 22,1: 13–18.
- STOCK, W.D. 1993. 23,1. (Allsopp, N.).
- STRUCK, M. 1994. Flowering phenology in the arid winter rainfall region of southern Africa. 24,1: 77–90.
- STRYDOM, A. & SPIES, J.J. 1994a. A cytotaxonomic study of some representatives of the tribe Cynodonteae (Chloridoideae, Poaceae). 24,1: 92–96.
- 1994b. Embryo sac development in some representatives of the tribe Cynodonteae (Poaceae). 24,1: 101–105.
- TAYLOR, H.C. 1993. 23,2. (Mustart, P.J.).
- THERON, G.K. 1992. 22,2. (Myburgh, W.J.).
- TROSKIE, T.H. 1994. 24,2. (Spies, J.J.).
- VAN DER MERWE, E. 1991. 21,2. (Spies, J.J.).
- VAN DER VYVER, E. 1994. 24,2. (Spies, J.J.).
- VAN DER WALT, J.J.A. 1991. 21,2. (Dreyer, L.L.).
- 1994. 24,1. (Buys, M.H.).
- 1994. 24,2. (Beyers, J.B.P.).
- 1994. 24,2. (Buys, M.H.).
- 1995. 25,1. (Beyers, J.B.P.).
- 1995. 25,2. (Buys, M.H.).
- 1995. 25,2. (Van Wyk, C.M.).
- VAN EEDEN, S. 1992. 22,2. (Weisser, P.J.).
- VAN JAARSVELD, E.J. 1994. 24,1. (Smith, G.F.).
- VAN REENEN, M. 1995. An annotated list of Urediniomycetes (rust fungi) from South Africa 1: Melampsoraceae and Pucciniaceae, excluding *Puccinia* and *Uromyces*. 25,2: 173–181.
- VAN ROOY, J. 1991. 21,2. (De Wet, B.C.).
- 1992. Notes on the moss flora of Zimbabwe (Bryophyta). 22,2: 196.
- VAN ROOY, J. & PEROLD, S.M. 1992a. New and interesting records of mosses in the *Flora of southern Africa* area: 2. Gigaspermaceae–Bartramiaceae. 22,1: 37.
- 1992b. New and interesting records of mosses in the *Flora of southern Africa* area. 3. Miscellaneous acrocarpous taxa (Bryophyta). 22,2: 195.
- VAN ROOYEN, N. 1993. 23,1. (Eckhardt, H.C.).
- VAN WYK, B.-E. 1991. 21,1. (Schutte, A.L.).
- 1992. The identity of *Agyrolobium obsoletum* and the correct names for some species of *Polhillia* (Fabaceae–Crotalariaeae). 22,1: 42, 43.
- 1992. 22,1. (Oliver, E.G.H.).
- 1992. 22,2. (Schutte, A.L.).
- 1994. 24,1. (Cron, G.V.).
- 1994. 24,1. (Smith, G.F.).
- 1994. 24,2. (Winter, P.J.D.).
- VAN WYK (née SCHONKEN), C.M. & VAN DER WALT, J.J.A. 1995. Three subspecies of *Pelargonium laevigatum* (Geraniaceae). 25,2: 133–139.
- VAN WYK, S.M.C. 1994. 24,2. (Spies, J.J.).
- VENTER, A.M. 1994. 24,1. (Minne, L.).

- VENTER, H.J.T. 1993. 23,1. (Verhoeven, R.L.).
 –1994. 24,1. (Minne, L.).
- VENTER, S. 1992. 22,2. (Edwards, T.J.).
- VERHOEVEN, R.L. & VENTER, H.J.T. 1993. Pollen morphology of *Curroria*, *Mondia*, *Socotranthus* and *Stomatostemma* (Periplocaceae). 23,1: 105–110.
- VINCENT, P.L.D. 1994. 24,1. (Cron, G.V.).
- VORSTER, P. 1991. The correct author citation for *Clivia miniata* (Amaryllidaceae). 21,1: 66.
- VORSTER, P. & FRIIS, Ib. 1995. Lectotypification of *Pelargonium multibracteatum* (Geraniaceae). 25,1: 102–104.
- VORSTER, P. & MAGGS, G.L. 1992. Typification of *Pelargonium* section *Polyactium* (Geraniaceae). 22,2: 195.
- WARD, C.J. 1995. 25,2. (Browning, J.).
- WEISSER, P.J., SMITH, E.C.A., BACKER, A.P. & VAN EEDEN, S. 1992. Flora and vegetation of the Mbonambi Beach Arcuate Scar on the Zululand dune barrier, Natal, South Africa. 22,2: 289–294.
- WEISSER, P.J., WHITFIELD, A.K. & HALL, C.M. 1992. The recovery and dynamics of submerged aquatic macrophyte vegetation in the Wilderness lakes, southern Cape. 22,2: 283–288.
- WELLS, M.J. 1991. Review: Kikuyu botanical dictionary of plant names and uses, by F.N. Gachathi. 1989. 21,1: 115.
- WELLS, M.J. & BRINK, E. 1992. Obituary: Amy Frances Gordon Jacot Guillarmod, née Hean (1911–1992). 22,2: 295–299.
- WELMAN, W.G. 1991. 21,2. (De Wet, B.C.).
 –1995. 25,2. (Glen, H.F.).
- WHITFIELD, A.K. 1992. 22,2. (Weisser, P.J.).
- WIJNANDS, D.O. 1991. Notes on some Monocotyledoneae described by N.L. Burman: Asparagaceae, Asphodelaceae, Colchicaceae (Liliaceae). 21,2: 157.
- WILLIAMSON, G. 1994. 24,2. (Snijman, D.A.).
- WINTER, P.J.D. & VAN WYK, B.-E. 1994. The taxonomic value of epidermal characters in the leaf of *Heteromorpha* and some related genera (Apiaceae). 24,2: 187–194.
- ZAMBATIS, N. 1994. Ferns and flowering plants of Klaserie Private Nature Reserve, eastern Transvaal: an annotated checklist. 24,1: 37–53.
- ZIETSMAN, P.C. 1991. 21,1. (Du Preez, P.J.).

INDEX TO TAXA AND KEYWORDS

Synonyms appear in italics. Author citations of plant names follow Brummitt & Powell (1992):
Authors of plant names. Royal Botanic Gardens, Kew.

- Acacia *Mill.* (Brooks & Owen-Smith 1994)
 nilotica (*L.*) *Willd. ex Delile* (Brooks & Owen-Smith 1994)
 tortilis (*Forssk.*) *Hayne* (Brooks & Owen-Smith 1994)
 Acanthaceae (Immelman 1992)
 Acanthophora *Dunal*, section (Bukonya & Carasco 1995)
 achene (Barker 1994)
 Acrostemon
 concinus N.E.Br. (Oliver 1993a)
 schlechteri N.E.Br. (Oliver & Oliver 1994)
 Acrostichum aureum *L.* (Roux 1993a)
 Aculeigerum *Seithe*, section (Bukonya & Carasco 1995)
 Adiantaceae (Roux 1993a)
 Adiantum *caffrorum* (*L.*) L.f. (Roux 1995)
 adventitious roots (Albers & Meve 1991)
 Africa (Burrows & Edwards 1993, 1995), (Oliver 1994)
 South (Allsopp & Stock 1993, 1995), (Barker & Ellis 1991), (Burrows & Crouch 1995), (Eckhardt *et al.* 1993), (Gorter 1993), (Immelman 1992), (Oliver & Oliver 1995), (Rourke 1991a), (Roux 1995), (Smith 1995b), (Snijman 1991), (Spies *et al.* 1991), (Steiner 1992), (Van Reenen 1995), (Weisser, Smith, Backer & Van Eeden 1992)
 southern (Barker 1994), (Browning *et al.* 1995), (Cilliers 1993), (Edwards 1993), (Fellingham & Meyer 1995), (Hennessy & Rodman 1995), (Leistner 1995), (Moffett 1994), (Oliver 1993a), (Oliver & Oliver 1994), (Perold 1993a, b, d-f; 1994a-d; 1995a, b, d), (Pienaar 1993), (A. Louise Schutte 1994), (Smith 1995a), (Struck 1994)
 sub-Saharan (Perold 1995c)
 Afromontane forest (McDonald 1993a-c)
 Afrosolanum *Bitter*, section (Bukonya & Carasco 1995)
 Agyriaceae, Lichenes (Brusse 1991)
 Aira praecox *L.* (Linder 1991)
 Aitonia J.R. & G.Forst. (Perold 1995a)
 eximia Schiffr. (Perold 1995a)
 fischeriana Steph. (Perold 1995a)
 microcephala Steph. (Perold 1995a)
 algae (Silva 1991)
 alien (Henderson 1991a, b)
 invasive plants (Henderson 1992)
 Allisoniaceae (Hepaticae) (Perold 1993c)
 Almborn, O. (Kärnefelt 1994)
 Aloaceae (Glen & Smith 1995), (Glen *et al.* 1995), (Smith 1995a, b), (Smith *et al.* 1994)
 Aloe *L.* (Glen & Smith 1995), (Glen *et al.* 1995)
 aristata *Haw.* (Glen & Smith 1995)
 bainesii Dyer var. *barberae* (Dyer) Baker (Smith, Van Wyk & Glen 1994)
 barberae Dyer (Smith, Van Wyk & Glen 1994)
 glauca *Mill.* var. *muricata* (*Schult.*) Baker (Glen & Smith 1995)
 humilis (*L.*) *Mill.* var. *incurva* *Haw.* (Glen & Smith 1995)
 longiaristata *Schult. & Schult.f.* (Glen & Smith 1995)
 longistyla Baker (Glen & Smith 1995)
 micrantha *Haw.* (Glen & Smith 1995)
 microcantha auctt. (Glen & Smith 1995)
 muricata *Schult.* (Glen & Smith 1995)
 pluridens *Haw.* (Glen & Smith 1995)
 rubriflora (*L.* Bolus) G.D. Rowley (Glen & Smith 1995)
 saponaria (*Aiton*) *Haw.* var. *latifolia* *Haw.* (Glen & Smith 1995)
 schmidtiana *Regel* (Glen & Smith 1995)
 soutpansbergensis *I. Verd.* (Glen & Hardy 1991)
 striata *Haw.* (Glen & Smith 1995)
 thompsoniae *Groenew.* (Glen & Smith 1995)
 thorncroftii *Pole Evans* (Glen & Smith 1995)
 Alooiidae (Asphodelaceae/Liliaceae) (Smith 1991, 1992)
 altitudinal distribution (Kurzweil 1992)
 Amaryllidaceae (Snijman 1991, 1992), (Snijman & Williamson 1994), (Vorster 1991)
 Amaryllideae (Snijman 1991, 1992)
 Amaryllis
 coranica Burch. var. *pallida* Lindl. (Snijman & Williamson 1994)
 falcata (Jacq.) L'Hér. (Snijman & Williamson 1994)
 longifolia *L.* (Snijman & Williamson 1994)
 Ammannia *L.* (Immelman 1991)
 aegyptiaca Willd., (Immelman 1991)
 anagalloides Sond. (Immelman 1991)
 aspera Guill. & Perr. (Immelman 1991)
 auriculata Willd. (Immelman 1991)
 baccifera *L.* subsp. *aegyptiaca* (Willd.) Koehne (Immelman 1991)
 crassicaulis Guill. & Perr. (Immelman 1991)
 crassissima Koehne (Immelman 1991)
 evansiana A.Fern. & M.A. Diniz (Immelman 1991)
 multiflora Roxb. (Immelman 1991)
 passerinoideus Hiern (Immelman 1991)
 prieuriana Guill. & Perr. (Immelman 1991)
 pusilla Sond. (Immelman 1991)
 salicifolia auct. non Monti (Immelman 1991)
 sarcophylla Hiern (Immelman 1991)
 senegalensis *Lam. ex Poir.* (Immelman 1991)
 var. *auriculata* (Willd.) Hiern (Immelman 1991)
 var. *multiflora* (Roxb.) Koehne (Immelman 1991)
 forma *multiflora* (Roxb.) Hiern (Immelman 1991)
 wormskioldii Fisch., C.A. Mey. & Avé-Lall. var. *alata* Koehne (Immelman 1991)
 Ammocharis
 falcata (Jacq.) Herb. (Snijman & Williamson 1994)
 herrei F.M. Leight. (Snijman & Williamson 1994)
 longifolia (*L.*) M. Roem. (Snijman & Williamson 1994)
 Amphiglossa kolbei Bolus (Koekemoer 1993)
 Amphithalea rostrata A.L. Schutte & B.-E. van Wyk (Schutte & van Wyk 1991)
 Anacardiaceae (Moffett 1994)
 anatomy (Barker 1995), (Beyers & Van der Walt 1995), (Winter & Van Wyk 1994)
 Andropogon *L.* (Spies *et al.* 1994)
 Anemia Sw. (Roux 1992, 1993b)

- Anemiaceae (Pteridophyta) (Roux 1992, 1993b, 1994, 1995)
 anemogeochoy (Snijman & Williamson 1994)
Anila
argyraea (Eckl. & Zeyh.) Kuntze (Schrire 1992)
macra (E.Mey.) Kuntze (Schrire 1992)
parviflora (B.Heyne ex Wight & Arn.) Kuntze (Schrire 1992)
welwitschii (Baker) Kuntze (Schrire 1992)
 Ansellia, section (Justicia) (Immelman 1992)
Anihericum bulbine Houtt. (Wijnands 1991)
Antrocephalus Lehm. (Perold 1995a)
 Aphanothece stagnina (C.K.Spreng.) A.Braun (Silva 1991)
 Apiaceae (Winter & Van Wyk 1994)
Apicra
jacobseniana Poelln. (Smith 1992, 1995b)
rubriflora L.Bolus (Smith 1995b)
 apomixis (Strydom & Spies 1994b)
 apospory (Strydom & Spies 1994b)
 Arboreae Weim. emend. E.G.H. Oliv. & Fellingham, section (Oliver & Fellingham 1994)
 Archer, R. (De Wet *et al.* 1991)
 arcuate scar (Weisser, Smith, Backer & Van Eeden 1992)
 Argyrolobium (Edwards 1993)
brevicalyx C.H.Stirt. (B.-E. van Wyk 1992)
hirsuticaule Harms (Edwards 1993)
involucratum (Thunb.) Harv. (B.-E. van Wyk 1992)
leptocladum Harms (Edwards 1993)
lotoides Harv. (Edwards 1993)
obsoletum Harv. (B.-E. van Wyk 1992)
rotundifolium T.J.Edwards (Edwards 1993)
thodei Harms (Edwards 1993)
variopile N.E.Br. (Edwards 1993)
 Arnell, S.W. (Perold 1992c)
 Arthropteris monocarpa (Cordem.) C.Chr. (Burrows & Crouch 1995)
 Arthrospira platensis (Nordst.) Gomont (Silva 1991)
 Arundineae (Barker 1993–1995)
 Arundinoideae (Barker 1993–1995)
 Asclepiadaceae (Albers & Meve 1991), (Bruyns 1995), (Nicholas & Goyder 1992, 1993)
Asclepias L. (Bruyns 1995)
arborescens L. (Bruyns 1995)
aurea (Schltr.) Schltr. (Bruyns 1995)
buchenaviana Schinz (Bruyns 1995)
burchellii Schltr. (Bruyns 1995)
cancellata Burm.f. (Bruyns 1995)
cognata N.E.Br. (Nicholas & Goyder 1992)
diploglossa (Turcz.) Druce (Nicholas & Goyder 1992)
filiformis (E.Mey.) O.Kunze var. *buchenaviana* (Schinz) N.E.Br. (Bruyns 1995)
flava N.E.Br. (Nicholas & Goyder 1992)
fruticosa L. (Bruyns 1995)
glaucophylla (Schltr.) Schltr. (Bruyns 1995)
pubescens L. (Bruyns 1995)
randii S.Moore (Bruyns 1995)
reenensis N.E.Br. (Nicholas & Goyder 1993)
rostrata N.E.Br. (Bruyns 1995)
rotundifolia Miller (Bruyns 1995)
schizoglossoides Schltr. (Nicholas & Goyder 1992)
Askepos Griff. *brevipes* Griff. (Perold 1993b)
Aspalathus sericea sensu Thunb. (B.-E. van Wyk 1992)
 Asparagaceae (Fellingham & Meyer 1995), (Wijnands 1991)
Asparagopsis
densiflora Kunth (Fellingham & Meyer 1995)
denudatus Kunth (Fellingham & Meyer 1995)
krebsiana Kunth (Fellingham & Meyer 1995)
microraphis Kunth (Fellingham & Meyer 1995)
minutiflorus Kunth (Fellingham & Meyer 1995)
setacea Kunth (Fellingham & Meyer 1995)
Asparagus L. (Fellingham & Meyer 1995)
acocksii Jessop (Fellingham & Meyer 1995)
aethiopicus L. var. *angusticladus* Jessop (Fellingham & Meyer 1995)
africanus Lam. (Fellingham & Meyer 1995)
 var. *concinus* Baker (Fellingham & Meyer 1995)
 var. *natalensis* Baker (Fellingham & Meyer 1995)
aggregatus (Oberm.) Fellingham & N.L.Mey. (Fellingham & Meyer 1995)
alopocurus (Oberm.) Malcomber & Sebsebe (Fellingham & Meyer 1995)
angusticladus (Jessop) Fellingham & N.L.Mey. (Fellingham & Meyer 1995)
asparagoides (L.) W.Wight (Fellingham & Meyer 1995)
aspergillus Jessop (Fellingham & Meyer 1995)
bayeri (Oberm.) Fellingham & N.L.Mey. (Fellingham & Meyer 1995)
bechuanicus Baker (Fellingham & Meyer 1995)
biflorus (Oberm.) Fellingham & N.L.Mey. (Fellingham & Meyer 1995)
buchananii Baker (Fellingham & Meyer 1995)
burchellii Baker (Fellingham & Meyer 1995)
capensis L.
 var. *capensis* (Fellingham & Meyer 1995)
 var. *litoralis* Suess. & J.Karl (Fellingham & Meyer 1995)
clareae (Oberm.) Fellingham & N.L.Mey. (Fellingham & Meyer 1995)
coddii (Oberm.) Fellingham & N.L.Mey. (Fellingham & Meyer 1995)
compactus T.M.Salter (Wijnands 1991)
concinus (Baker) Kies (Fellingham & Meyer 1995)
confertus K.Krause (Fellingham & Meyer 1995)
cooperi Baker (Fellingham & Meyer 1995)
crassicladus Jessop (Fellingham & Meyer 1995)
declinatus L. (Fellingham & Meyer 1995)
densiflorus (Kunth) Jessop (Fellingham & Meyer 1995)
denudatus (Kunth) Baker (Fellingham & Meyer 1995)
devenishii (Oberm.) Fellingham & N.L.Mey. (Fellingham & Meyer 1995)
divaricatus (Oberm.) Fellingham & N.L.Mey. (Fellingham & Meyer 1995)
ecklonii Baker (Fellingham & Meyer 1995)
edulis (Oberm.) Fellingham & N.L.Mey. (Fellingham & Meyer 1995)
exsertus (Oberm.) Fellingham & N.L.Mey. (Fellingham & Meyer 1995)
exuvialis Burch. forma *ecklonii* (Baker) Fellingham & N.L.Mey. (Fellingham & Meyer 1995)
falcatus L. (Fellingham & Meyer 1995)
fasciculatus Thunb. (Fellingham & Meyer 1995)
filicladus (Oberm.) Fellingham & N.L.Mey. (Fellingham & Meyer 1995)
flavicaulis (Oberm.) Fellingham & N.L.Mey. subsp. *setulosus* (Oberm.) Fellingham & N.L.Mey. (Fellingham & Meyer 1995)
fouriei (Oberm.) Fellingham & N.L.Mey. (Fellingham & Meyer 1995)

Asparagus (cont.)

- fractiflexus (*Oberm.*) *Fellingham & N.L.Mey.* (Fellingham & Meyer 1995)
- glaucus *Kies* (Fellingham & Meyer 1995)
- graniticus (*Oberm.*) *Fellingham & N.L.Mey.* (Fellingham & Meyer 1995)
- intricatus (*Oberm.*) *Fellingham & N.L.Mey.* (Fellingham & Meyer 1995)
- juniperoides *Engl.* (Fellingham & Meyer 1995)
- kraussianus (*Kunth*) *J.F.Macbr.* (Fellingham & Meyer 1995)
- krebsianus (*Kunth*) *Jessop* (Fellingham & Meyer 1995)
- laricinus *Burch.* (Fellingham & Meyer 1995)
- lignosus *Burm.f.* (Wijnands 1991)
- lignosus *Burm.f.* (Fellingham & Meyer 1995)
- longicladus *N.E.Br.* (Fellingham & Meyer 1995)
- lynetteae (*Oberm.*) *Fellingham & N.L.Mey.* (Fellingham & Meyer 1995)
- macowanii *Baker* (Fellingham & Meyer 1995)
- mariae (*Oberm.*) *Fellingham & N.L.Mey.* (Fellingham & Meyer 1995)
- microraphis (*Kunth*) *Baker* (Fellingham & Meyer 1995)
- minutiflorus (*Kunth*) *Baker* (Fellingham & Meyer 1995)
- mollis (*Oberm.*) *Fellingham & N.L.Mey.* (Fellingham & Meyer 1995)
- mucronatus *Jessop* (Fellingham & Meyer 1995)
- multiflorus *Baker* (Fellingham & Meyer 1995)
- multituberosus *R.A.Dyer* (Fellingham & Meyer 1995)
- natalensis (*Baker*) *Fellingham & N.L.Mey.* (Fellingham & Meyer 1995)
- nelsii *Schinz* (Fellingham & Meyer 1995)
- nodulosus (*Oberm.*) *Fellingham & N.L.Mey.* (Fellingham & Meyer 1995)
- oliveri (*Oberm.*) *Fellingham & N.L.Mey.* (Fellingham & Meyer 1995)
- ovatus *T.M.Salter* (Fellingham & Meyer 1995)
- oxyacanthus *Baker* (Fellingham & Meyer 1995)
- pearsonii *Kies* (Fellingham & Meyer 1995)
- pendulus (*Oberm.*) *Fellingham & N.L.Mey.* (Fellingham & Meyer 1995)
- planusculus *Burm.f.* (Wijnands 1991)
- plumosus *Baker* (Fellingham & Meyer 1995)
- racemosus *Willd.* (Fellingham & Meyer 1995)
- ramosissimus *Baker* (Fellingham & Meyer 1995)
- recurvispinus (*Oberm.*) *Fellingham & N.L.Mey.* (Fellingham & Meyer 1995)
- retrofractus *L.* (Fellingham & Meyer 1995)
- rigidus *Jessop* (Fellingham & Meyer 1995)
- ruber *Burm.f.* (Wijnands 1991)
- rubicundus *P.J.Bergius* (Fellingham & Meyer 1995)
- scandens *Thunb.* (Fellingham & Meyer 1995)
- schroederi *Engl.* (Fellingham & Meyer 1995)
- sekukuniensis (*Oberm.*) *Fellingham & N.L.Mey.* (Fellingham & Meyer 1995)
- setaceus (*Kunth*) *Jessop* (Fellingham & Meyer 1995)
- spinescens *Steud. ex Roem. & Schult.* (Fellingham & Meyer 1995)
- stellatus *Baker* (Fellingham & Meyer 1995)
- stipulaceus *Lam.* (Fellingham & Meyer 1995)
- striatus (*L.f.*) *Thunb.* (Fellingham & Meyer 1995)
- suaveolens *Burch.* (Fellingham & Meyer 1995)
- subulatus *Thunb.* (Fellingham & Meyer 1995)
- transvaalensis (*Oberm.*) *Fellingham & N.L.Mey.* (Fellingham & Meyer 1995)
- triacanthus *Burm.f.* (Wijnands 1991)
- undulatus (*L.f.*) *Thunb.* (Fellingham & Meyer 1995)
- virgatus *Baker* (Fellingham & Meyer 1995)
- volubilis *Thunb.* (Fellingham & Meyer 1995)
- Aspergillus *Link* (A. Louise Schutte 1994)
- Asphodelaceae/Aloaceae (Liliaceae) (Glen & Hardy 1991), (Glen & Smith 1995), (Glen *et al.* 1995), (Smith 1991; 1992; 1995a, b), (Smith *et al.* 1994a), (Wijnands 1991)
- Asphodelus *Breyne latifolius* *Breyne* (Helme & Linder 1992)
- Aspidoglossum carinatum (*Schltr.*) *Kupicha* (Bruyns 1995)
- Aspidonepsis *Nicholas & Goyder* (Nicholas & Goyder 1992)
- subgenus Aspidonepsis (Nicholas & Goyder 1992)
- cognata (*N.E.Br.*) *Nicholas & Goyder* (Nicholas & Goyder 1992)
- diploglossa (*Turcz.*) *Nicholas & Goyder* (Nicholas & Goyder 1992)
- flava (*N.E.Br.*) *Nicholas & Goyder* (Nicholas & Goyder 1992)
- subgenus Unguilibium *Nicholas & Goyder* (Nicholas & Goyder 1992)
- reenensis (*N.E.Br.*) *Nicholas & Goyder* (Nicholas & Goyder 1992, 1993)
- shebae *Nicholas & Goyder* (Nicholas & Goyder 1992)
- Aspleniaceae (Burrows & Crouch 1995)
- Asplenium obscurum *Blume* (Burrows & Crouch 1995)
- Asteraceae (Beyers 1995), (Cilliers 1993), (Cron *et al.* 1994), (Herman 1995b, c), (Koekemoer 1991, 1993), (Midgley 1993)
- Asterella *P.Beauv.* (Perold 1994c)
- angolensis *S.W.Arnell* (Perold 1994c)
- bachmannii (*Steph.*) *S.W.Arnell* (Perold 1994c)
- marginata (*Nees*) *S.W.Arnell* (Perold 1994c)
- muscolica (*Steph.*) *S.W.Arnell* (Perold 1994c)
- wilmsii (*Steph.*) *S.W.Arnell* (Perold 1994c)
- Astroloba rubriflora (*L.Bolus*) *E.Lamb* (Smith 1995c)
- Athalamia *Falc. spathysii* (*Lindenb.*) *S.Hatt.* (Perold 1993d)
- Atlantic Ocean (Roux *et al.* 1992)
- Australian grasses (Spies *et al.* 1991)
- author citation (Buys & Van der Walt 1994), (Dreyer & Van der Walt 1991), (Herman 1995b), (Momborg 1995), (Rourke 1992), (Vorster 1991)
- Avena macrocalycina *Steud.* (Barker 1993)
- rigida *Steud.* (Barker 1995)
- rigida *M.Bieb.* (Barker 1995)
- Aytonia J.R. & G.Forst. (Perold 1995a)
- Aytoniaceae (Perold 1994a, c, d; 1995a)
- Aytonioideae (Perold 1995a)
- Baamba (*Oryem-Origa et al.* 1995)
- Baccharis
- ilicifolia *Lam.* (Cilliers 1993)
- neriifolia *L.* (Cilliers 1993)
- Backer, A.P. (Weisser, Smith, Backer & Van Eeden 1992)
- Baijnath, H. (Retief *et al.* 1995)
- Bakonjo (*Oryem-Origa et al.* 1995)
- Balkwill, M.-J. (Balkwill & Balkwill 1994, 1995)
- Bankenveld (Myburgh *et al.* 1992)
- Barker, Winsome (Buddy) (Rourke 1995)
- Bartramiaceae (Bryophyta) (Van Rooy & Perold 1992a)
- beetle-daisy (Midgley 1993)
- Benderianum *Bitter*, section (Bukunya & Carasco 1995)
- Bequaertiodendron *De Wild.* (Bredenkamp & Smith 1993)
- magalismontanum (Sond.) *Heine & J.H.Hemsl.* (Bredenkamp & Smith 1993)

- Bequaertiodendron (cont.)
natalense (Sond.) Heine & J.H.Hemsl. (Bredenkamp & Smith 1993)
- Bergfontein, Cape (McDonald 1993c)
 Berg River, Western Cape (O'Callaghan 1994b)
 Betonica, section (Justicia) (Immelman 1992)
 biogeography (Geldenhuys 1992)
 biomass (Weisser, Whitfield & Hall 1992)
 Biome, Savanna (Zambatis 1994)
- Blaeria* L. (Oliver 1993a, 1994)
affinis N.E.Br. (Oliver 1993a)
barbigera (Salisb.) G.Don (Oliver 1993)
barbigera sensu Alm & T.C.E.Fr. (Oliver 1993a)
campanulata Benth. (Oliver 1993a)
coccinea Klotzsch (Oliver 1993a)
dumosa J.C.Wendl. var. *breviflora* N.E.Br. (Oliver 1993a)
equisetifolia (Salisb.) G.Don (Oliver 1993a)
ericoides L. (Oliver 1993a)
fastigiata Benth. (Oliver 1993a)
flava Bolus (Oliver 1993a)
flexuosa Benth. (Oliver 1993a)
fuscescens Klotzsch (Oliver 1993a)
fuscescens sensu N.E.Br. (Oliver 1993a)
grandis N.E.Br. (Oliver 1993a)
klotzschii Alm & T.C.E.Fr. (Oliver 1993a)
kraussiana Klotzsch ex Walp. (Oliver 1993a)
microdonta C.H.Wright (Oliver 1994)
muirii L. (Oliver 1993a)
oppositifolia L. (Oliver 1993a)
purpurea Alm & T.C.E.Fr. (Oliver 1993a)
purpurea L.f. (Oliver 1993a)
pusilla Klotzsch (Oliver 1993a)
pusilla L. (Oliver 1993a)
revoluta Bartl. (Oliver 1993a)
sagittata (Klotzsch ex Benth.) Alm & T.C.E.Fr. (Oliver 1993a)
- Blairia*
fuscescens D.Dietr. (Oliver 1993a)
revoluta (Bartl.) D.Dietr. (Oliver 1993a)
- Boivinella natalensis* (Sond.) Pierre ex Aubrév. & Pellegr. (Bredenkamp & Smith 1993)
- booklice (Retief *et al.* 1995)
- book reviews (Balkwill & Balkwill 1994, 1995), (Davis 1994), (Du Plessis 1992), (Fish 1995), (Germishuizen 1991a), (Jürgens 1992), (Killick 1994), (Kurzweil 1994), (Manning 1995), (O'Connor 1994), (Reid 1992), (Robbertse 1994), (Rourke 1991b), (Rutherford 1991), (Wells 1991)
- Boosmansbos Wilderness Area, Cape (McDonald 1993a)
- Boraginaceae (Buys & Van der Walt 1994a, b; 1995)
- Bostrychietum (Rhodophyceae) (Silva 1991)
- botanical art (Rourke & Manning 1992)
- Brachylaena* R.Br. (Cilliers 1993)
dentata DC. non (Thunb.) Harv. (Cilliers 1993)
dentata (Thunb.) Harv. (Cilliers 1993)
discolor auct. non DC. (Cilliers 1993)
discolor DC. (Cilliers 1993)
 subsp. *discolor* (Cilliers 1993)
 var. *mossambicensis* Paiva (Cilliers 1993)
 subsp. *transvaalensis* (E.Phillips & Schweick.) Paiva (Cilliers 1993)
- elliptica (Thunb.) DC. (Cilliers 1993)
elliptica auct. non (Thunb.) DC. (Cilliers 1993)
glabra (L.f.) Druce (Cilliers 1993)
grandifolia DC. (Cilliers 1993)
huillensis O.Hoffm. (Cilliers 1993)
hutchinsii Hutch. (Cilliers 1993)
ilicifolia (Lam.) E.Phillips & Schweick. (Cilliers 1993)
natalensis Sch.Bip. (Cilliers 1993)
neriifolia (L.) R.Br. (Cilliers 1993)
racemosa (Thunb.) DC. (Cilliers 1993)
rhodesiana S.Moore (Cilliers 1993)
rhodesiana auct. non S.Moore (Cilliers 1993)
rotundata S.Moore (Cilliers 1993)
transvaalensis E.Phillips & Schweick. (Cilliers 1993)
uniflora Harv. (Cilliers 1993)
- Brachystelma* Sims (Bruyns 1995)
blepharantnera (Schltr.) H.E.Huber (Bruyns 1995)
codonanthum Bruyns (Bruyns 1995)
gymnopodium (Schltr.) Bruyns (Bruyns 1995)
recurvatum Bruyns (Bruyns 1995)
schultzei (Schltr.) Bruyns (Bruyns 1995)
- bract (Oliver 1994)
- bracteoles (Oliver 1994)
- Braun-Blanquet (method) (Eckhardt *et al.* 1993), (McDonald 1993c), (Myburgh *et al.* 1992), (Roberts 1993)
- Bredenkamp, G.J. (Eckhardt *et al.* 1993), (Myburgh *et al.* 1992)
- breeding system (Steiner 1992)
- Brevantherum* (Seithe) D'Arcy, subgenus (Bukanya & Carasco 1995)
- Brevantherum* Seithe, section (Bukanya & Carasco 1995)
- Breytenbach, P.J.J. (Myburgh *et al.* 1992)
- Brink, E. (Wells & Brink 1992)
- browsers (Brooks & Owen-Smith 1994)
- Brunsvigia falcata* (Jacq.) Ker Gawl. (Snijman & Williamson 1994)
- Bryaceae (Bryophyta) (Van Rooy & Perold 1992a)
- Bryophyta (Van Rooy & Perold 1992a, b), (Van Rooy 1992)
- Bukanya, Z.R. (Oryem-Origa *et al.* 1995)
- Bulbine
cepacea (Burm.f.) Wijnands (Wijnands 1991)
tuberosa (Mill.) Oberm. (Wijnands 1991)
- Bullatina viridis Brusse (Brusse 1992a)
- Bundibugyo District (Oryem-Origa *et al.* 1995)
- Cacuvallum* Medik. *altissimum* (Jacq.) Medik. (Franklin Hennessy 1991)
- Caesalpinia bracteata* Germish. (Germishuizen 1991)
- Calothrix (Silva 1991)
crustacea Thur. ex Bornet & Flahault (Silva 1991)
crustacea Schousb. & Thur. (Silva 1991)
scopulorum (F.Weber & D.Mohr) C.Agardh ex Bornet & Flahault (Silva 1991)
- Calycularia
crispula Mitt. (Perold 1993c)
golae Gerola (Perold 1993c)
- Cape
 central (Germishuizen 1992), (Snijman 1992)
 eastern (Henderson 1992), (Midgley & Gobetz 1993)
 Eastern (Oliver 1994)
 Floristic Region (Allsopp & Stock 1993)
 Marloth Nature Reserve (McDonald 1993b)
 Namaqualand (Beyers 1995), (Brusse 1992b), (Struck 1994)
 northern (Germishuizen 1991b), (Henderson 1991b)
 Northern (Oliver & Fellingham 1994)
 northwestern (Bruyns 1992), (Snijman 1991, 1992)

Cape (cont.)

- Province (Koekemoer 1991), (McDonald 1993a, c), (Oliver 1993b), (Retief 1991)
- southern (Oliver & Fellingham 1991), (Schutte & Van Wyk 1992), (Weisser, Whitfield & Hall 1992)
- southwestern (Oliver 1993b), (Oliver *et al.* 1992), (Oliver & Fellingham 1994), (Rourke 1994a, b), (Schutte 1992), (Snijman 1991)
- Swartberg (Fellingham 1995)
- western (Bruyns 1993), (Oliver 1993c), (Steiner 1992)
- Western (O'Callaghan 1994a-d), (Oliver 1995), (Oliver & Oliver 1995)
- Cape Town, Signal Hill (Joubert & Moll 1992)
- Carasco, J.F. (Bukanya & Carasco 1995)
- Carpopogon* Roxb. (Franklin Hennessy 1991)
- capitatus* Roxb. (Franklin Hennessy 1991)
- giganteum* (Willd.) Roxb. (Franklin Hennessy 1991)
- niveus* Roxb. (Franklin Hennessy 1991)
- caryopsis (Barker 1994)
- Cederberg, northern (Mustart *et al.* 1993)
- Celastrus sieberi* Bernh. (Andrews 1994)
- central Cape (Germishuizen 1992), (Snijman 1992)
- Centropodia *Rchb.* (Barker 1994)
- Ceropegia L.* (Bruyns 1995)
- dinteri Schltr.* (Bruyns 1995)
- filiformis (Burch.) Schltr.* (Bruyns 1995)
- gymnopoda Schltr.* (Bruyns 1995)
- pygmaea Schinz* (Bruyns 1995)
- Chaetobromus Nees* (Barker 1994)
- Chaetosartorya Subram.* (A. Louise Schutte 1994)
- Chamaecalyx leibleiniae (H.Reinsch) Komárek & Anagnost.* (Silva 1991)
- Chamaesiphonaceae (Chroococcales, Cyanophyceae) (Silva 1991)
- Characeae (Weisser, Whitfield & Hall 1992)
- checklist (Geldenhuys 1992), (Joubert & Moll 1992), (Kurzweil 1992), (Roux *et al.* 1992), (A. Louise Schutte 1992, 1994), (Van Reenen 1995), (Zambatis 1994)
- Cheilanthes fuscata* Blume (Roux 1995)
- Chippindall, Lucy Kathleen Armitage (Barker 1992)
- Chirocalyx* Meisn. (Franklin Hennessy 1991)
- abyssinicus* (DC.) Hochst. (Franklin Hennessy 1991),
- mollissimus* Meisn. (Franklin Hennessy 1991)
- tomentosus* Hochst. (Franklin Hennessy 1991)
- Chlamidium (Corda) Bischl.*
- subgenus (Perold 1995b)
- section (Perold 1995b)
- Chlamidium Corda* (Perold 1995b)
- Chloridoideae Rouy (Strydom & Spies 1994a, b)
- Chortolirion *A.Berger* (Smith 1991, 1995a)
- angolense (Baker) A.Berger* (Smith 1995a)
- bergerianum Dinter* (Smith 1995a)
- stenophyllum (Baker) A.Berger* (Smith 1995a)
- subspicatum (Baker) A.Berger* (Smith 1995a)
- tenuifolium (Engl.) A.Berger* (Smith 1995a)
- chromosome
- counts (Cron *et al.* 1994)
- numbers (Minne *et al.* 1994), (Roux 1994), (Smith 1991), (Spies *et al.* 1991, 1994), (Strydom & Spies 1994a)
- Chroococcaceae (Chroococcales, Cyanophyceae) (Silva 1991).
- Chroococcales (Cyanophyceae) (Silva 1991)
- Chroococcus
- minor (*Kütz.*) Näg. (Silva 1991)
- turgidus (Kütz.) Nägeli* var. *maximus Nygaard* (Silva 1991)
- Chrysophyllum*
- magalismontanum* Sond. (Nicholas & Goyder 1993)
- millerianum* Lam. (Andrews 1994)
- natalense* Sond. (Nicholas & Goyder 1993)
- Cineraria L.* (Cron *et al.* 1994)
- Citta Lour. nigricans* Lour. (Franklin Hennessy 1991)
- cladistics (Barker 1993)
- classification (Eckhardt *et al.* 1993), (McDonald 1993a-c), (Perold 1995c), (Roberts 1993), (Shackleton *et al.* 1991)
- Clerodendrum
- louwalbertsii P.P.J.Herman* (Herman 1995a)
- triphyllum (Harv.) H.Pearson* (Herman 1995a)
- Clevea* Lindb. (Perold 1993d)
- rouseliana* (Mont.) Leitg. (Perold 1993d)
- spathysii* (Lindenb.) Müll.Frib. (Perold 1993d)
- Cleveaceae (Perold 1993d)
- Cliffortia L.* (Oliver & Fellingham 1994)
- amplexistipula Schltr.* (Fellingham 1993b)
- arborea Marloth* (Oliver & Fellingham 1994)
- burgersii E.G.H.Oliv. & Fellingham* (Oliver & Fellingham 1991)
- conifera E.G.H.Oliv. & Fellingham* (Oliver & Fellingham 1994)
- fasciculata* Weim. (Fellingham 1993b)
- longifolia (Eckl. & Zeyh.) Weim.* (Fellingham 1994)
- micrantha Weim.* (Fellingham 1993a)
- nivenioides Fellingham* (Fellingham 1995)
- strobilifera L. var. longifolia Eckl. & Zeyh.* (Fellingham 1994)
- climatic variables (Struck 1994)
- Clivia miniata (Lindl.) Regel* (Vorster 1991)
- cluster roots (Allsopp & Stock 1993)
- Coccochloris stagnina* F.E.Drouet & Daily (Silva 1991)
- Coelidium vlokii A.L.Schutte & B.-E.van Wyk* (Schutte & Van Wyk 1992)
- Colchicaceae (Wijnands 1991)
- Colina caffrorum (L.) Greene* (Roux 1995)
- Cololejeunea
- cardiocarpa (Mont.) Steph.* (Perold 1992c)
- jooriana (Steph.) A.Evans* (Perold 1992c)
- (Platycolea) cardiocarpa (Mont.) R.M.Schust.* (Perold 1992c)
- comb. nov. (Bredenkamp & Smith 1993), (Burrows & Edwards 1993), (Bruyns 1995), (Buys & Van der Walt 1994), (Fellingham & Meyer 1995), (Hartley 1991), (Herman 1995c), (Nicholas & Goyder 1992, 1993), (Oliver 1993a, 1994), (Oliver & Oliver 1994), (Schrire 1992), (Van Wyk 1992), (Wijnands 1991)
- Combretaceae (Hennessy & Rodman 1995)
- Combretum Loeffl.*, subgenus (Hennessy & Rodman 1995)
- mkuzense J.D.Carr & Retief* (Hennessy & Rodman 1995)
- common names (Moffett 1994)
- conifer (Rourke 1991a)
- conservation (Barker 1995)
- status (Barker 1993)
- Conyza nerifolia (L.) L'Hér. ex Steud.* (Cilliers 1993)
- Corallo dendra* Krukoff, section (Franklin Hennessy 1991)
- Corallo dendron* Mill. (Franklin Hennessy 1991)
- abyssinicum (Lam.) Kuntze* (Franklin Hennessy 1991)
- acanthocarpum (E.Mey.) Kuntze* (Franklin Hennessy 1991)
- caffrum (Thunb.) Kuntze* (Franklin Hennessy 1991)

Corallodendron (cont.)

- falcatum* (Benth.) Kuntze (Franklin Hennessy 1991)
humei (E.Mey.) Kuntze (Franklin Hennessy 1991)
latissimum (E.Mey.) Kuntze (Franklin Hennessy 1991)
reticulatum (Presl) Kuntze (Franklin Hennessy 1991)
Corbierella Douin & Trab. (Perold 1994b)
Cortusina (DC.) Harv., section (Pelargonium) (Dreyer & Van der Walt 1991)
Cotula nigellifolia (DC.) Bremer & Humphries var. *tenuior* (DC.) P.P.J.Herman (Herman 1995c)

Crinum

- falcatum* Jacq. (Snijman & Williamson 1994)
longifolium (L.) Thunb. (Snijman & Williamson 1994)
 Crotalariaeae (Fabaceae) (Edwards 1993)
 Crouch, N.R. (Burrows & Crouch 1995)
Cryptadenia Meisn. (Beyers & Van der Walt 1994, 1995)
Cryptomitrium Austin ex Underw. oreades *Perold* (Perold 1994d)

Cucurbitaceae (Bruyns 1993)

culm anatomy (Arriaga 1992)

Cunliffe, R.N. (Campbell *et al.* 1995)

Cupressaceae (Rourke 1991a)

Curroria Planch. (Verhoeven & Venter 1993)

Cyanophyceae (Silva 1991)

Cyathodium foetidissimum Schiffn. (Perold 1993e)*Cydistetes longifolia* (L.) Milne-Redh. & Schweick. (Snijman & Williamson 1994)*Cyclonema triphyllum* Harv. (Herman 1995a)*Cyclopia squamosa* A.L.Schutte (Schutte 1992)*Cymbopogon Spreng.* (Spies *et al.* 1994)

Cynodonteae Dumort. (Strydom & Spies 1994a, b)

Cyperaceae (Browning *et al.* 1995)cytogenetics (Spies *et al.* 1994)cytology (Albers & Meve 1991), (Barker 1993), (Spies *et al.* 1991)

cytotaxonomy (Strydom & Spies 1994a)

cytotype(s) (Albers & Meve 1991), (Roux 1993a)

*Danthonia**brachyphylla* Stapf (Barker 1995)*distichophylla* Lehm. (Barker 1993)*longiglumis* Nees (Barker 1993)*macrantha* Schrad. (Barker 1995)*obtusifolia* Hochst. (Barker 1995)*rigida* Steud. (Barker 1995)*speciosa* Lehm. ex Nees (Barker 1993)*thuarii* Desv. (Barker 1993)

defence (Brooks & Owen-Smith 1994)

Dermocarpa leibleiniae (H.Reinsch) Bornet & Thur. (Silva 1991)

Diascia

hexensis K.E.Steiner (Steiner 1992)*humilis* K.E.Steiner (Steiner 1992)*maculata* K.E.Steiner (Steiner 1992)*Dichominum* Neck. (Perold 1993b)*Dictyochiton* Bisch. (Perold 1994c)*Dilatis P.J.Bergius* (Helme & Linder 1992)*Dipidax triquetra* (L.f.) Baker (Wijnands 1991)

Diplopoda (Gorter 1993)

Disparago Gaertn. (Koekemoer 1991, 1993)

section Disparago *Koekemoer* (Koekemoer 1993)section Laevicarpa *Koekemoer* (Koekemoer 1993)section Monticapra *Koekemoer* (Koekemoer 1993)section Uniflos *Koekemoer* (Koekemoer 1993)*anomala* Schltr. ex Bolus & Wolley-Dod (Koekemoer 1993)*anomala* Schltr. ex Levyns (Koekemoer 1993)*barbata* *Koekemoer* (Koekemoer 1991, 1993)*ericoides* auct. non P.J.Bergius nec Gaertn. (Koekemoer 1991, 1993)*ericoides* (P.J.Bergius) Gaertn. (Koekemoer 1991, 1993)*gomphrenoides* Sch.Bip. (Koekemoer 1993)*gongyloides* *Koekemoer* (Koekemoer 1991, 1993)*hoffmanniana* Schltr. (Koekemoer 1993)*kolbei* (Bolus) Hutch. (Koekemoer 1991, 1993)*kraussii* Sch.Bip. (Koekemoer 1993)*lasiocarpa* Cass. (Koekemoer 1991, 1993)*laxifolia* DC. (Koekemoer 1993)*pilosa* *Koekemoer* (Koekemoer 1991, 1993)*rosea* Hutch. (Koekemoer 1991, 1993)*seriphioides* DC. (Koekemoer 1993)*tortilis* (DC.) Sch.Bip. (Koekemoer 1991, 1993)

distribution (Perold 1995b)

altitudinal (Kurzweil 1992)

extralimital (Kurzweil 1992)

records (Burrows & Crouch 1995)

disturbance (Campbell *et al.* 1995)*Dolichos**altissimus* Jacq. (Franklin Hennessy 1991)*giganteus* Willd. (Franklin Hennessy 1991)*pruriens* L. (Franklin Hennessy 1991)*urens* L. (Franklin Hennessy 1991)*Dracaena**striata* L.f. (Fellingham & Meyer 1995)*undulata* L.f. (Fellingham & Meyer 1995)*Dregeochloa Conert* (Barker 1994)*Duchassaingia* Walp. (Franklin Hennessy 1991)*caffra* (Thunb.) Walp. (Franklin Hennessy 1991)*glauca* Walp. (Franklin Hennessy 1991)*senegalensis* (DC.) Hassk. (Franklin Hennessy 1991)*Dumortiera Nees* (Perold 1993b)*hirsuta* (Sw.) Nees (Perold 1993b)var. *angustior* Gottsche, Lindenb. & Nees (Perold 1993b)var. *intermedia* Gottsche, Lindenb., & Nees (Perold 1993b)var. *irrigua* (Taylor) Spruce (Perold 1993b)*irrigua* (Wilson) Nees (Perold 1993b)*spathysii* (Lindenb.) Nees (Perold 1993d)*velutina* Schiffn. (Perold 1993b)

Dumortieroideae (Perold 1993b)

dune valley (Weisser, Smith, Backer & Van Eeden 1992)

Du Plessis, H. (Spies *et al.* 1991)

Durban (Roberts 1993)

dynamics (Midgley & Gobetz 1993)

Ea land type (Eckhardt *et al.* 1993)

early 20th century (Rourke & Manning 1992)

East London (Midgley & Gobetz 1993)

Eastern

Cape (Oliver 1994)

Transvaal, Klaserie (Zambatis 1994)

Transvaal Lowveld (Zambatis 1994)

eastern Cape (Henderson 1992), (Midgley & Gobetz 1993)

Eccrinales (Gorter 1993)

*Echium**formosum* Pers. (Buys & Van der Walt 1994b)*grandiflorum* Andrews (Buys & Van der Walt 1994b)*grandiflorum* Salisb. (Buys & Van der Walt 1994b)*montanum* (H.Buek.) DC. (Buys & Van der Walt 1994a)*regulareflorum* Ker Gawl. (Buys & Van der Walt 1994b)*tubiferum* Poir. (Buys & Van der Walt 1994b)

- ecology (Campbell *et al.* 1995), (Eckhardt *et al.* 1993), (McDonald 1993a–c), (Midgley & Gobetz 1993), (Mustart *et al.* 1993), (O’Callaghan 1994a–d), (Perold 1995b), (Roberts 1993), (Shackleton *et al.* 1991)
- Edwards, T.J. (Burrows & Edwards 1993, 1995)
- Eleocharis
 decoriglumis *Berhaut* (Browning *et al.* 1995)
 mutata (L.) *Roem. & Schult.* (Browning *et al.* 1995)
 variegata (*Poir.*) *C.Presl* (Browning *et al.* 1995)
- Eleusine africana *Kenn.-O’Byrne* (Hiremath & Salimath 1991)
- Elionurus *Kunth ex Willd.* (Spies *et al.* 1994)
- Ellis, R.P. (Barker & Ellis 1991), (Smook & Ellis 1993)
- Elytrophorus *P.Beauv.* (Barker 1994)
- embryo (Barker 1994)
 sac development (Strydom & Spies 1994b)
- Emericella *Berk. & Broome* (A. Louise Schutte 1994)
- Englerophytum
 magalismsontanum (*Sond.*) *T.D.Penn.* (Bredenkamp & Smith 1993)
 natalense (*Sond.*) *T.D.Penn.* (Bredenkamp & Smith 1993)
- Enterobryus (Gorter 1993)
 centroboli *G.J.M.Gorter* (Gorter 1993)
 chaleponci *G.J.M.Gorter* (Gorter 1993)
 zinophorae *G.J.M.Gorter* (Gorter 1993)
- Entophysalis conferta* F.E.Drouet & Daily (Silva 1991)
- environmental gradients (Geldenhuys 1992)
- ephemeral (Joubert & Moll 1992)
- epidermis (Winter & Van Wyk 1994)
- epiphyllous liverwort (Perold 1992c)
- epiphytes (Silva 1991)
- Erica *L.* (Oliver 1993a, b; 1994), (Oliver & Oliver 1995)
 abbottii *E.G.H.Oliv.* (Oliver & Oliver 1991)
 acockii Compton (Oliver & Oliver 1994)
 alexandri *Guthrie & Bolus* (Oliver & Oliver 1994)
 subsp. acockii (*Compton*) *E.G.H.Oliv.* (Oliver & Oliver 1994)
 subsp. alexandri (Oliver & Oliver 1994)
 alnea *E.G.H.Oliv.* (Oliver & Oliver 1995)
 amatolensis *E.G.H.Oliv.* (Oliver 1994)
 annectens *Guthrie & Bolus* (Oliver & Oliver 1994)
 auriculata *Guthrie & Bolus* (Oliver & Oliver 1994)
 austroverna Hilliard (Oliver & Oliver 1994)
 barbigera *Salisb.* (Oliver 1993a)
 barbigeroideis *E.G.H.Oliv.* (Oliver 1993a)
 blaeria Thunb. (Oliver 1993a)
 cerviciflora *Salisb.* (Oliver & Oliver 1994)
 chiroptera *E.G.H.Oliv.* (Oliver 1993b)
 coarctata Wendl. var. *longipes* (Bartl.) *Bolus* (Oliver & Oliver 1994)
 coccinea *L.* (Oliver 1993a)
 colorans *Andrews* (Oliver & Oliver 1994)
 cumuliflora *Salisb.* (Oliver & Oliver 1994)
 dulcis *L. Bolus* (Oliver & Oliver 1994)
 dumosa *Salisb.* (Oliver 1993a)
 equisetifolia *Salisb.* (Oliver 1993a)
 ericoides (*L.*) *E.G.H.Oliv.* (Oliver 1993a)
 esterhuyseniae *Compton* (Oliver & Oliver 1994)
 var. a *tetramera* (Oliver & Oliver 1994)
 var. esterhuyseniae (Oliver & Oliver 1994)
 var. trimera *Compton* (Oliver & Oliver 1994)
 exurgens *Andrews* var. *grandiflora* (*L.f.*) *Dulfer* (Oliver & Oliver 1994)
 fastigiata *L.* (Oliver 1993a)
 filiformis *Salisb.* var. *maritima* *Bolus* (Oliver & Oliver 1994)
 flexuosa *Andrews* (Oliver 1993a)
 fuscescens (*Klotzsch*) *E.G.H.Oliv.* (Oliver 1993a)
 gillii *Benth.* (Oliver & Oliver 1994)
 grandiflora *L.f.* (Oliver & Oliver 1994)
 greyi *Guthrie & Bolus* (Oliver & Oliver 1994)
 hermani *E.G.H.Oliv.* (Oliver 1993b)
 hexensis *E.G.H.Oliv.* (Oliver & Oliver 1995)
 hillburtii (*E.G.H.Oliv.*) *E.G.H.Oliv.* (Oliver 1994)
 hispiduloides *E.G.H.Oliv.* (Oliver & Oliver 1995)
 hottentotica *E.G.H.Oliv.* (Oliver & Oliver 1995)
 ingeana *E.G.H.Oliv.* (Oliver & Oliver 1991)
 ioniana *E.G.H.Oliv.* (Oliver 1993b)
 ionii H.A.Baker (Oliver & Oliver 1994)
 karooica *E.G.H.Oliv.* (Oliver 1995)
 klotzschii (*Alm & T.C.E.Fr.*) *E.G.H.Oliv.* (Oliver 1993a)
 kraussiana *Klotzsch ex Walp.* (Oliver 1993a)
 leptostachya *Guthrie & Bolus* (Oliver & Oliver 1994)
 longimontana *E.G.H.Oliv.* (Oliver 1993a)
 longipes *Klotzsch ex Benth.* non *Bartl.* (Oliver & Oliver 1994)
 longisepala *Guthrie & Bolus* (Oliver & Oliver 1994)
 macowanii *Cufino* (Oliver & Oliver 1994)
 magistrati *E.G.H.Oliv.* (Oliver & Oliver 1995)
 manifesta *Compton* (Oliver & Oliver 1994)
 microdonta (*C.H.Wright*) *E.G.H.Oliv.* (Oliver 1994)
 minutissima *Klotzsch. ex Benth.* (Oliver & Oliver 1994)
 monadelphia *Andrews* (Oliver & Oliver 1994)
 multiflexuosa *E.G.H.Oliv.* (Oliver 1993a)
 multiflora *L.* (Oliver 1994)
 newdigateae *Dulfer* (Oliver & Oliver 1994)
 newdigatei *Dulfer* (Oliver & Oliver 1994)
 octonaria *L.Bolus* (Oliver & Oliver 1994)
 parilis *Salisb.* (Oliver & Oliver 1994)
 parvula *L.Guthrie & Bolus* (Oliver 1993a)
 passerinoides (*Bolus*) *E.G.H.Oliv.* (Oliver 1994)
 pinea *Thunb.* (Oliver & Oliver 1994)
 priorii *Guthrie & Bolus* (Oliver & Oliver 1994)
 pusilla *Salisb.* (Oliver 1993a)
 pusilla *Thunb.* (Oliver 1993a)
 quadraeflora *Salisb.* (Oliver & Oliver 1994)
 quandrangularis *Salisb.* (Oliver & Oliver 1994)
 recurvata *Andrews* (Oliver & Oliver 1994)
 revoluta *Bartl.* (Oliver 1993a)
 revoluta (*Bolus*) *L.E.Davidson* (Oliver 1993a; Oliver & Oliver 1994)
 russakiana *E.G.H.Oliv.* (Oliver 1993a)
 sagittata *Klotzsch ex Benth.* (Oliver 1993a)
 scoparia *L.* (Oliver & Oliver 1994)
 setulosa *Benth.* (Oliver & Oliver 1994)
 solandra *Andrews* var. *mollis* *Dulfer* (Oliver & Oliver 1994)
 spheanthera *Tausch* (Oliver & Oliver 1994)
 subverticillaris *Diels ex Guthrie & Bolus* var. *revoluta* *Bolus* (Oliver & Oliver 1994)
 swaziensis *E.G.H.Oliv.* (Oliver & Oliver 1991)
 tarantulae *E.G.H.Oliv.* (Oliver & Oliver 1995)
 trichophora *Benth.* (Oliver & Oliver 1994)
 turmalis *Salisb.* (Oliver & Oliver 1994)
 umbelliflora *Klotzsch ex Benth.* (Oliver & Oliver 1994)
 Ericaceae (Oliver 1993a, b; 1995), (Oliver & Oliver 1991, 1994, 1995)
 Ericinella *Klotzsch* (Oliver 1994)
 brassii *Brenan* (Oliver 1994)

Ericinella (cont.)

- hillburtii* E.G.H.Oliv. (Oliver 1994)
microdonta (C.H.Wright) Alm & T.C.E.Fr. var. *craspedotricha* Brenan (Oliver 1994)
multiflora Klotzsch (Oliver 1994)
passerinoides Bolus (Oliver 1994)
shinniae S.Moore (Oliver 1994)
Ericoideae (Oliver 1993a, b; 1995), (Oliver & Oliver 1991, 1994)
Eriochloa spp. (Arriaga 1992)
errata (McDonald 1993c)
Erythrina L. (Franklin Hennessy 1991)
subgen. Chirocalyx (*Meisn.*) Harv. (Franklin Hennessy 1991)
sect. Chirocalyx *Verdc.* (Franklin Hennessy 1991)
subgen. Erythraster *Barneby & Krukoff* (Franklin Hennessy 1991)
subgen. Erythrina Harv. (Franklin Hennessy 1991)
sect. Acanthocarpae *Barneby & Krukoff* (Franklin Hennessy 1991)
sect. Caffrae *Barneby & Krukoff* (Franklin Hennessy 1991)
sect. Cristae-galli *Krukoff* (Franklin Hennessy 1991)
group Crista-galli *Krukoff* (Franklin Hennessy 1991)
sect. Duchassaingia (*Walp.*) *Krukoff* (Franklin Hennessy 1991)
group *Fuscae* *Krukoff* (Franklin Hennessy 1991)
sect. Erythrina *Krukoff & Barneby* (Franklin Hennessy 1991)
sect. Humeanae *Barneby & Krukoff* (Franklin Hennessy 1991)
sect. Macrocybium (*Walp.*) *Barneby & Krukoff* (Franklin Hennessy 1991)
sect. Micropteryx *Krukoff* (Franklin Hennessy 1991)
group *Vernae* *Krukoff* (Franklin Hennessy 1991)
sect. Stenotropis (*Hassk.*) *Krukoff* (Franklin Hennessy 1991)
subgen. Micropteryx (*Walp.*) *Baker* (Franklin Hennessy 1991)
subgen. *Stenotropis* (*Hassk.*) *Baker* (Franklin Hennessy 1991)
group *Speciosae* *Krukoff* (Franklin Hennessy 1991)
subgen. Tripterolobus *Barneby & Krukoff* (Franklin Hennessy 1991)
abyssinica *Lam. ex DC.* (Franklin Hennessy 1991)
abyssinica sensu Marloth (Franklin Hennessy 1991)
acanthocarpa *E.Mey.* (Franklin Hennessy 1991)
baumii sensu Codd (Franklin Hennessy 1991)
bequaertii De Wild. (Franklin Hennessy 1991)
caffra sensu Harv. (Franklin Hennessy 1991)
caffra sensu Ker Gawl. (Franklin Hennessy 1991)
caffra Thunb. var. *mossambicensis* Baker f. (Franklin Hennessy 1991)
× coddii *Barneby & Krukoff* (Franklin Hennessy 1991)
comosa Hua (Franklin Hennessy 1991)
constantiana Micheli (Franklin Hennessy 1991)
corallodendron sensu Hennessy (Franklin Hennessy 1991)
corallodendrum L. (Franklin Hennessy 1991)
crista-galli L. (Franklin Hennessy 1991)
decora Harms (Franklin Hennessy 1991)
× dyeri Hennessy (Franklin Hennessy 1991)
eggelingii Baker f. (Franklin Hennessy 1991)
falcata Benth. (Franklin Hennessy 1991)
fissa Presl (Franklin Hennessy 1991)
fusca Lour. (Franklin Hennessy 1991)

- gibbsiae* Baker f. (Franklin Hennessy 1991)
glauca Willd. (Franklin Hennessy 1991)
guineensis G.Don (Franklin Hennessy 1991)
× hennessyae *Barneby & Krukoff* (Franklin Hennessy 1991)
huillensis Welw. ex Baker (Franklin Hennessy 1991)
humeana Spreng. (Franklin Hennessy 1991)
humei E.Mey. (Franklin Hennessy 1991)
× johnsoniae Hennessy (Franklin Hennessy 1991)
kassneri Baker (Franklin Hennessy 1991)
latifolia Schumach. (Franklin Hennessy 1991)
latissima E.Mey. (Franklin Hennessy 1991)
livingstoniana Baker (Franklin Hennessy 1991)
lysistemon Hutch. (Franklin Hennessy 1991)
mendesii Torre (Franklin Hennessy 1991)
micropteryx Poepp. (Franklin Hennessy 1991)
mossambicensis Sim (Franklin Hennessy 1991)
ovalifolia Roxb. (Franklin Hennessy 1991)
pallida Britton & Rose (Franklin Hennessy 1991)
platyphylla Baker f. (Franklin Hennessy 1991)
poeppigiana (*Walp.*) O.F.Cook (Franklin Hennessy 1991)
poianthes Brot. (Franklin Hennessy 1991)
princeps A.Dietr. (Franklin Hennessy 1991)
raja Meisn. (Franklin Hennessy 1991)
reticulata Presl (Franklin Hennessy 1991)
sandersoni Harv. (Franklin Hennessy 1991)
senegalensis DC. (Franklin Hennessy 1991)
speciosa Andrews (Franklin Hennessy 1991)
subirifera Welw. ex Baker (Franklin Hennessy 1991)
aff. E. × sykesii *Barneby & Krukoff* (Franklin Hennessy 1991)
tomentosa sensu Baker (Franklin Hennessy 1991)
tomentosa R.Br.ex A.Rich. var. *longicauda* Baker f. (Franklin Hennessy 1991)
viarum Tod. (Franklin Hennessy 1991)
zeyheri Harv. (Franklin Hennessy 1991)
Erythrineae Hutch. (Franklin Hennessy 1991)
Erythrobolbus Pluk. (Helme & Linder 1992)
ethnobotany (Oryem-Origa *et al.* 1995)
etymology (Moffett 1994)
Eumorpha laevigata (L.f) Eckl. & Zeyh. (Van Wyk & Van der Walt 1995)
Eupenicillium E.Ludw. (A. Louise Schutte 1992)
Euphorbia
celata R.A.Dyer (Bruyns 1992)
exilis L.C.Leach (Bruyns 1992)
francescae L.C.Leach (Bruyns 1992)
glandularis L.C.Leach & G.Will. (Bruyns 1992)
miscella L.C.Leach (Bruyns 1992)
quadrata Nel (Bruyns 1992)
Euphorbiaceae (Bruyns 1992)
euploidy (Albers & Meve 1991)
Eurotium Link (A. Louise Schutte 1994)
evolution (Helme & Linder 1992)
Exormotheca (Godm.) Mitten (Perold 1994b)
africana Steph. (Perold 1994)
bullosa (Link) Müll.Frib. (Perold 1991b)
holstii Steph. (Perold 1994b)
megastomata C.Marquand (Perold 1994b)
pustulosa Mitten (Perold 1994b)
welwitschii Steph. (Perold 1991)
youngii S.W.Arnell (Perold 1994b)
Exormothecaceae (Perold 1994b)
exospore structure (Parkinson 1994)
external morphology (Barker 1994)

- extralimital distribution (Kurzweil 1992)
- Fabaceae (Edwards 1993), (Franklin Hennessy 1991), (Germishuizen 1991b), (Oliver *et al.* 1992), (Pienaar 1993), (Schrire 1992), (Schutte 1992), (Schutte & Van Wyk 1991, 1992), (Van Wyk 1992)
- Fellingham, A.C. (Oliver & Fellingham 1991, 1994), (Oliver *et al.* 1992)
- Fennellia B.J.Wiley & E.G.Simmons (A. Louise Schutte 1994)
- ferns (Parkinson 1994), (Roux 1994), (Zambatis 1994)
- Ficus
- antandronarum (*H.Perrier*) C.C.Berg subsp. bernardii C.C.Berg (Compton 1992)
 - bojeri Baker (Compton 1992)
 - lutea Vahl (Compton 1992)
 - pachyclada Baker subsp. pachyclada (Compton 1992)
 - reflexa Thunb. subsp. aldabrensis (Baker) C.C. Berg (Compton 1992)
 - rubra Vahl (Compton 1992)
 - sycomorus L. (Compton 1992)
 - tilifolia Baker (Compton 1992)
- Fimbraria Nees (Perold 1994c)
- angolensis Steph. (Perold 1994c)
 - bachmannii Steph. (Perold 1994c)
 - marginata Nees (Perold 1994c)
 - musciicola Steph. (Perold 1994c)
 - wilmsii Steph. (Perold 1994c)
- Fish, L. (De Wet *et al.* 1991)
- fitososiologie (Myburgh *et al.* 1992)
- flora (Geldenhuys 1992)
- Flora of southern Africa area (Van Rooy & Perold 1992a, b)
- floristic
- classification (Roberts 1993)
 - composition (Kurzweil 1992)
 - region, Cape (Allsopp & Stock 1993)
- flowering
- plants (Zambatis 1994)
 - sequence (Struck 1994)
- fluctuations (Weisser, Whitfield & Hall 1992)
- food crops (Bukenya & Carasco 1995)
- forest(s) (Geldenhuys 1992), (McDonald 1993a-c), (Midgley & Gobetz 1993)
- forma nov. (Immelman 1991)
- fragmentation (Geldenhuys 1992)
- Friis, Ib. (Vorster & Friis 1995) (should be Ib or I.)
- FSA contributions (Smith 1995a, b)
- Funariaceae (Bryophyta) (Van Rooy & Perold 1992a)
- fungi (A. Louise Schutte 1992, 1994)
- fynbos (Allsopp & Stock 1993), (McDonald 1993a-c), (Mustart *et al.* 1993)
- Fynbos Biome (Henderson 1992)
- Gambiza, J. (Campbell *et al.* 1995)
- gametophyte (Roux 1993b)
- Gasteria
- armstrongii Schönland (Smith, Van Wyk & Van Jaarsveld 1994)
 - nitida var. armstrongii (Schönland) Van Jaarsv. (Smith, Van Wyk & Van Jaarsveld 1994)
- Gelala aquatica Rumph. (Franklin Hennessy 1991)
- generic delimitation (Beyers & Van der Walt 1995)
- gen. nov. (Nicholas & Goyder 1992)
- geology (Eckhardt *et al.* 1993)
- Geraniaceae (Dreyer & Van der Walt 1991), (Van Wyk & Van der Walt 1995), (Vorster & Friis 1995), (Vorster & Maggs 1992)
- Geranium
- acuminatum Thunb. (Van Wyk & Van der Walt 1995)
 - laevigatum L.f. (Van Wyk & Van der Walt 1995)
 - trifoliatum Andr. (Van Wyk & Van der Walt 1995)
- Germishuizen, G. (De Wet *et al.* 1991)
- Gesneriaceae (Edwards *et al.* 1992)
- Gigaspermaceae (Bryophyta) (Van Rooy & Perold 1992a)
- Glen, H.F. (De Wet *et al.* 1991), (Leistner *et al.* 1995), (Smith & Glen 1995), (Smith, Van Wyk & Glen 1994)
- Gobetz, P.N. (Midgley & Gobetz 1993)
- Gollaniella Steph. (Perold 1993d)
- Gomphillaceae (Lichenes) (Brusse 1992a)
- Gomphocarpus R.Br. (Bruyns 1995)
- arborescens (L.) W.T.Aiton (Bruyns 1995)
 - cancellatus (Burm.f.) Bruyns (Bruyns 1995)
 - diploglossus Turcz. (Nicholas & Goyder 1992)
 - filiformis (E.Mey.) Dietr. (Bruyns 1995)
 - fruticosus (L.) W.T.Aiton (Bruyns 1995)
 - glaucophyllus Schltr. (Bruyns 1995)
 - rostratus (N.E.Br.) Bullock (Bruyns 1995)
 - tomentosus Burch. (Bruyns 1995)
- Gordon-Gray, K.D. (Browning *et al.* 1995)
- Goyder, D.J. (Nicholas & Goyder 1992, 1993)
- grain (Midgley & Gobetz 1993)
- Grand Comore (Ngazidja) (Compton 1992)
- Granger, J.E. (Shackleton *et al.* 1991)
- Grassland Biome (Eckhardt *et al.* 1993), (Henderson 1991a, 1992)
- grasslands (Shackleton *et al.* 1991)
- Grimaldia Raddi (Perold 1994a)
- abyssinica Gola (Perold 1995a)
 - dichotoma Raddi (Perold 1994a)
- Grootvlei area (S Transvaal) (Myburgh *et al.* 1992)
- groups (Perold 1995c)
- growth form(s) (Albers & Meve 1991), (Geldenhuys 1992)
- guide for authors to Bothalia (1991-1995)
- gut fungi (Gorter 1993)
- Haemanthus falcatus (Jacq.) Thunb. (Snijman & Williamson 1994)
- Haemodoraceae (Helme & Linder 1992)
- Hahn, Charles Theophilus (Rourke & Manning 1992)
- Hall, C.M. (Weisser, Whitfield & Hall 1992)
- Hardy, D.S. (Glen & Hardy 1991), (Glen *et al.* 1995)
- Harnieria, section (Justicia) (Immelman 1992)
- Haworthia
- angolensis Baker (Smith 1995a)
 - rubriflora (L.Bolus) Parr var. jacobseniana (Poelln.) Parr (Smith 1995b)
 - saundersiae Baker (Smith 1995a)
 - stenophylla Baker (Smith 1995a)
 - subspicata Baker (Smith 1995a)
 - tenuifolia Engl. (Smith 1995a)
- hepatic (Perold 1992b; 1993a, c, f)
- Hepaticae (Perold 1993a-f; 1994a-d; 1995a, b)
- herbarium
- curation (Retief *et al.* 1995)
 - hygiene (Retief *et al.* 1995)
 - pests (Retief *et al.* 1995)
- Herman, P.P.J. (De Wet *et al.* 1991)
- Hessea speciosa Snijman (Snijman 1992)
- Heterodermia namaquana Brusse (Brusse 1992b)

- Heteromorpha* Cham. & Schldl. *betsileensis* (Winter & Van Wyk 1994)
hilum (Barker 1994)
history (Perold 1995c)
Hornera Neck. *urens* (L.) Neck. (Franklin Hennessy 1991)
 Hutchinson's 'beetle-daisy' hypothesis (Midgley 1993)
 Hydrococcaceae (Chroococcales, Cyanophyceae) (Silva 1991)
Hydrococcus rivularis Kütz. (Silva 1991)
Hygrophila Taylor (Perold 1993b)
Hygrophyla Taylor (Perold 1993b)
Hygropila Taylor (Perold 1993b)
Hygropyla Taylor *irrigua* (Wilson) Taylor (Perold 1993b)
Hypaphorus Hassk. (Franklin Hennessy 1991)
Hyparrhenia Fourn. (Spies *et al.* 1994)
Hypenantron Corda (Perold 1994c)
Hyperthelia Clayton (Spies *et al.* 1994)
 Hyphomycetes (Fungi) (A. Louise Schutte 1992, 1994)
Ilex L. (Andrews 1994)
 × *koehneana* Loes. (Andrews 1994)
 aquifolium L. (Andrews 1994)
 capensis Sond. (Andrews 1994)
 cornuta 'Burfordii' (Andrews 1994)
 cornuta Lindl. & Paxton (Andrews 1994)
 mitis (L.) Radlk. (Andrews 1994)
 forma *capensis* (Sond.) Loes. (Andrews 1994)
 var. *mitis* (Andrews 1994)
 paraguariensis A.St.-Hil. (Andrews 1994)
 pernyi Franch. (Andrews 1994)
 vomitaria Aiton (Andrews 1994)
 Inaccessible Island (Roux *et al.* 1992)
 index to taxa of Ricciaceae (Perold 1995c)
Indigastrum Jaub. & Spach (Schrire 1992)
 argyraeum (Eckl. & Zeyh.) Schrire (Schrire 1992)
 argyroides (E.Mey.) Schrire (Schrire 1992)
 burkeanum (Benth. ex Harv.) Schrire (Schrire 1992)
 candidissimum (Dinter) Schrire (Schrire 1992)
 costatum (Guill. & Perr.) Schrire (Schrire 1992)
 subsp. *costatum* (Schrire 1992)
 subsp. *goniodes* (Hochst. ex Baker) Schrire (Schrire 1992)
 subsp. *macrum* (E.Mey.) Schrire (Schrire 1992)
 subsp. *theuschii* (O.Hoffm.) Schrire (Schrire 1992)
 deflexum (Hochst. ex A.Rich.) Jaub. & Spach (Schrire 1992)
 fastigiatum (E.Mey.) Schrire (Schrire 1992)
 guerranum (Torre) Schrire (Schrire 1992)
 macrostachyum Jaub. & Spach (Schrire 1992)
 parviflorum (B.Heyne ex Wight & Arn.) Schrire (Schrire 1992)
 subsp. *occidentalis* (J.B.Gillett) Schrire (Schrire 1992)
 subsp. *parviflorum* (Schrire 1992)
 var. *crispidulum* (J.B.Gillett) Schrire (Schrire 1992)
 var. *parviflorum* (Schrire 1992)
 indigenous taxa (Bukenya & Carasco 1995)
Indigofera sensu Hutch. (Schrire 1992)
 subgen. *Euindigofera* Benth. (Schrire 1992)
 subgen. *Indigastrum* sensu Cronquist (Schrire 1992)
 subgen. *Indigastrum* (Jaub. & Spach) J.B.Gillet (Schrire 1992)
 subgen. *Microcharis* (Benth.) J.B.Gillett (Schrire 1992)
 'group' *Indigastrum* (Jaub. & Spach) Baker f. (Schrire 1992)
 acutifolia Schinz (Schrire 1992)
 affinis Harv. (Schrire 1992)
 ammophila Thulin (Schrire 1992)
 angolensis D.Dietr. (Schrire 1992)
 annua Milne-Redh. (Schrire 1992)
 arenaria sensu Baker (Schrire 1992)
 argyraea Eckl. & Zeyh. (Schrire 1992)
 argyroides E.Mey. (Schrire 1992)
 asparagoides Taub. (Schrire 1992)
 subsp. *ephemera* J.B.Gillett (Schrire 1992)
 var. *tisserantii* Pellegr. (Schrire 1992)
 barcensis Chiov. (Schrire 1992)
 brevistaminea J.B.Gillett (Schrire 1992)
 buchneri Taub. (Schrire 1992)
 burchellii E.Mey. (Schrire 1992)
 var. *multifolia* E.Mey. (Schrire 1992)
 var. *paucifolia* E.Mey. (Schrire 1992)
 burkeana Benth. ex Harv. (Schrire 1992)
 burkeana sensu J.B.Gillett (Schrire 1992)
 butayei De Wild. (Schrire 1992)
 cana Thulin (Schrire 1992)
 candidissima Dinter (Schrire 1992)
 collina Eckl. & Zeyh. (Schrire 1992)
 contorta J.B.Gillett (Schrire 1992)
 costata Guill. & Perr. (Schrire 1992)
 subsp. *costata* (Schrire 1992)
 subsp. *goniodes* J.B.Gillett (Schrire 1992)
 subsp. *macra* (E.Mey.) J.B.Gillett (Schrire 1992)
 subsp. *theuschii* (O.Hoffm.) J.B.Gillett (Schrire 1992)
 cufodontii Chiov. (Schrire 1992)
 deflexa Hochst. ex A.Rich. (Schrire 1992)
 disjuncta J.B.Gillett (Schrire 1992)
 var. *disjuncta* (Schrire 1992)
 var. *fallax* J.B.Gillett (Schrire 1992)
 engleri Baker f. (Schrire 1992)
 fastigiata E.Mey. var. *angustata* Harv. (Schrire 1992)
 garissaënsis J.B.Gillett (Schrire 1992)
 goniodes sensu Eyles (Schrire 1992)
 goniodes Hochst. ex Baker (Schrire 1992)
 var. *damarensis* Baker f. (Schrire 1992)
 var. *rhodesica* Baker f. (Schrire 1992)
 graminea Schltr. (Schrire 1992)
 guerrana Torre (Schrire 1992)
 gyrata Thulin (Schrire 1992)
 heptaphylla Hiern (Schrire 1992)
 hutchinsoniana J.B.Gillett (Schrire 1992)
 karinensis Thulin (Schrire 1992)
 kucharii Thulin (Schrire 1992)
 lateritia A. Chev. (Schrire 1992)
 leptocarpa Hochst. & Steud. ex Balf.f. (Schrire 1992)
 lobata J.B.Gillett (Schrire 1992)
 longicalyx J.B.Gillett (Schrire 1992)
 macra E.Mey. var. *aequalis* N.E.Br. (Schrire 1992)
 medicaginea Welw. ex Baker (Schrire 1992)
 medicaginea sensu Baker (Schrire 1992)
 medicaginea sensu A.Schreib. (Schrire 1992)
 microcharoides Taub. var. *latestipulata* J.B.Gillett (Schrire 1992)
 parviflora B.Heyne ex Wight & Arn. (Schrire 1992)
 var. *crispidula* J.B.Gillett (Schrire 1992)
 var. *occidentalis* J.B.Gillett (Schrire 1992)
 var. *parviflora* J.B.Gillett (Schrire 1992)
 phylogramme R.Vig. var. *aphylla* R.Vig. (Schrire 1992)
 praetermissa Baker f. (Schrire 1992)
 pseudoalternans Dinter (Schrire 1992)
 pseudo-indigofera (Merxm.) J.B.Gillett (Schrire 1992)
 remotiflora Taub. ex Baker f. (Schrire 1992)

Indigofera (cont.)

- richardsiae* J.B.Gillett (Schrire 1992)
rostrata Conrath (Schrire 1992)
saxicola Engl. (Schrire 1992)
semhaensis Vierh. (Schrire 1992)
sesquijuga Chiov. var. *obbiadensis* Chiov. (Schrire 1992)
sessilis Thulin (Schrire 1992)
spathulata J.B.Gillett (Schrire 1992)
spinosa Forssk. var. *spiniflora* sensu Schweinf. (Schrire 1992)
stipulosa Chiov. (Schrire 1992)
tenuirostris Thulin (Schrire 1992)
tenuisiliqua Schweinf. (Schrire 1992)
theuschii O.Hoffm. (Schrire 1992)
tisserantii (Pellegr.) Pellegr. (Schrire 1992)
tritoides Baker (Schrire 1992)
 var. *obbiadensis* (Chiov.) J.B.Gillett (Schrire 1992)
 var. *tritoides* (Schrire 1992)
variabilis De Wild. (Schrire 1992)
wajirensis J.B.Gillett (Schrire 1992)
welwitschii sensu Hutch. & Dalziel (Schrire 1992)
welwitschii Baker (Schrire 1992)
 var. *remotiflora* (Taub. ex Baker f.) Cronq. (Schrire 1992)
 var. *remotiflora* sensu Cronq. (Schrire 1992)
 var. *simplicifolia* Baker f. (Schrire 1992)
inflorescence morphology (Beyers & Van der Walt 1994)
Inhaca Island, Mozambique (Silva 1991)
In memoriam (1995): Jan Kornas (26 April 1923–8 August 1994); Ellaphie Ward Hilhorst (10 July–30 June 1994); Frank White (5 March 1927–12 September 1994)
insect pests (Retief *et al.* 1995)
invasive woody plants (Henderson 1991a, b)
inventory (Oryem-Origa *et al.* 1995)
ion excretion (Arriaga 1992)
Jacot Guillarmod (Amy Frances Gordon, née Hean (Wells & Brink 1992)
Jasminosolanum *Bitter* ex *Seithe*, section (Bukanya & Carasco 1995)
Jensenia
 spinosa (Lindenb. & Gottsche) Grolle (Perold 1993f)
 stephanii (J.B.Jack) E.W.Jones (Perold 1993f)
Jordaan, M. (De Wet *et al.* 1991)
Jungermannia
 lyellii Hook. (Perold 1993a)
 podophylla Thunb. (Perold 1993a)
 rhizobola Schwägr. (Perold 1993a)
Justicia, section (*Justicia*) (Immelman 1992)
 Justicia L. (Immelman 1992)
 sect. *Ansellia* (C.B.Clark) *Ensermu* (Immelman 1992)
 sect. *Betonica* (Nees) T.Anderson (Immelman 1992)
 sect. *Harnieria* (Solms) Benth. (Immelman 1992)
 sect. *Justicia* p.p. (Immelman 1992)
 sect. *Minima* Immelman (Immelman 1992)
 sect. *Raphidospora* (Nees) T.Anderson (Immelman 1992)
 sect. *Rostellaria* T. Anderson subsect. *Ansellia* (C.B.Clark) V.A.W.Graham (Immelman 1992)
 sect. *Tyloglossa* (Hochst.) Lindau (Immelman 1992)
 anagaloides (Nees) T.Anderson (Immelman 1992)
 anselliana (Nees) T.Anderson (Immelman 1992)
 betonica L. (Immelman 1992)
 bolusii C.B.Clark (Immelman 1992)
 campylostemon (Nees) T.Anderson (Immelman 1992)
 capensis Thunb. (Immelman 1992)
crassiradix Burkill & C.B.Clark (Immelman 1992)
cuneata Vahl (Immelman 1992)
flava (Vahl) Vahl (Immelman 1992)
glabra J.König ex Roxb. (Immelman 1992)
guerkeana Schinz (Immelman 1992)
heterocarpa subsp. *dinteri* (S.Moore) Hedrén (Immelman 1992)
kirkiana T.Anderson (Immelman 1992)
montis-salinarum A.Meeuse (Immelman 1992)
odora (Forssk.) Vahl (Immelman 1992)
orchioides L.f. (Immelman 1992)
parvibracteata Immelman (Immelman 1992)
petiolaris (Nees) T.Anderson (Immelman 1992)
platysepala (S.Moore) P.G.Mey. (Immelman 1992)
protracta (Nees) T.Anderson (Immelman 1992)
thymifolia (Nees) C.B.Clark (Immelman 1992)
Kakudidi, E.K.Z. (Oryem-Origa *et al.* 1995)
Kalahari (Henderson 1991b)
Kamiesbergia stenosphon Snijman (Snijman 1991)
Karoo, Succulent (Struck 1994)
Karoochloa Conert (Barker 1994)
karyology (Beyers & Van der Walt 1995), (Roux 1994)
Katende, A.B. (Oryem-Origa 1995)
Kedrostis psammophila Bruyns (Bruyns 1993)
key
 Ammannia spp. (Immelman 1991)
 Asclepiadaceae genera (Bruyns 1995)
 Asclepias L. spp. (Bruyns 1995)
 Aspidonepsis subgen. & spp. (Nicholas & Goyder 1992)
 Brachylaena spp. (Cilliers 1993)
 Brachystelma spp. (Bruyns 1995)
 Cyanophyceae spp. (Silva 1991)
 Disparago sections (Koekemoer 1993)
 Disparago spp. (Koekemoer 1993)
 Erythrina, sections, spp., subgenera (Franklin Hennessy 1991)
 Erythrineae genera (Franklin Hennessy 1991)
 Gomphocarpus spp. (Bruyns 1995)
 Justicia sections (Immelman 1992)
 Lythraceae genera (Immelman 1991)
 Marchantia subgen., sections, spp. (Perold 1995b)
 Mohria spp. (Roux 1995)
 Mucuna spp. (Immelman 1991)
 Nesaea spp. (Immelman 1991)
 Ophioglossum gracile and spp. (Burrows & Edwards 1995)
 Ophioglossum spp. (Burrows & Edwards 1993)
 Pelargonium laevigatum (L.f.) Willd. subsp. (Van Wyk & Van der Walt 1995)
 Pentameris spp. (Barker 1993)
 Plagiochasma Lehm. & Lindenb. subgen. (Perold 1995a)
 Pseudopentameris Conert (Barker 1995)
 Schizoglossum complex genera (Bruyns 1995)
 Solanum spp. (Bukanya & Carasco 1995)
 Wachendorfia spp. (Helme & Linder 1992)
Kinepetalum schultzei Schltr. (Bruyns 1995)
Klaserie, Eastern Transvaal (Zambatis 1994)
Kleinmond Lagoon, Western Cape (O'Callaghan 1994d)
Kornas, Jan (In memoriam 1995)
Kunhardt, C. (Edwards *et al.* 1992)
KwaZulu-Natal (Browning *et al.* 1995)
Labradia Swed. *urens* (L.) Swed. (Franklin Hennessy 1991)
Lachnaea L. (Beyers & Van der Walt 1994, 1995)

- Laevicarpa Koekemoer*, section of *Disparago* (Koekemoer 1993)
- Lagarinthus filiformis* E.Mey. (Bruyns 1995)
- land types (Eckhardt *et al.* 1993)
- Langebaan Lagoon, Western Cape (O'Callaghan 1994a)
- Langeberg, Cape Province (McDonald 1993a-c)
- leaf anatomy (Barker 1993, 1995), (Barker & Ellis 1991), (Smook & Ellis 1993)
- Lebeckia* Thunb.
- subgen. *Plecolobium* C.H.Stirt. (Van Wyk 1992)
- waltersii* C.H.Stirt. (Van Wyk 1992)
- Lecanorales (Lichenes) (Brusse 1991)
- lectotypification (Perold 1992d), (Van Rooy 1992), (Vorster & Friis 1995)
- Lejeunea (Colo-Lejeunea) jooriana* Steph. (Perold 1992c)
- Lejeuneaceae (Perold 1992c)
- Lejeunia*
- cardiocarpa* Mont. (Perold 1992c)
- jooriana* Austin (Perold 1992c)
- (subgen. *Colo-Lejeunea* sect. *Leptocolea*) *cardiocarpa* (Mont.) Spruce (Perold 1992c)
- Leptocolea
- cardiocarpa* (Mont.) A.Evans (Perold 1992c)
- cristata* var. *lanciloba* S.W.Arnell (Perold 1992c)
- jooriana* (Steph.) A.Evans (Perold 1992c)
- Leptostemonum (*Dunal*) Bitter, subgenus (Bukenya & Carasco 1995)
- Lesotho (Perold 1994d)
- Lessertia sneeuwbergensis *Germish.* (Germishuizen 1992)
- Leucospermum harpagonatum *Rourke* (Rourke 1994b)
- Leucoxylon laurinum* E.Mey. (Andrews 1994)
- Lichenes (Brusse 1991; 1992a, b)
- lichenized Ascomycotina (Lichenes) (Brusse 1991)
- Liliaceae (Glen & Hardy 1991), (Smith 1991, 1992) (Wijnands 1991)
- Linder, H.P. (Helme & Linder 1992)
- Liparieae (Fabaceae) (Schutte & Van Wyk 1992)
- Liposcelidae (Retief *et al.* 1995)
- Liposcelis bostrychophilus Badonnel (Retief *et al.* 1995)
- liverwort, epiphyllous (Perold 1992c)
- Lobostemon *Lehm.* (Buys & Van der Walt 1995)
- formosus* (Pers.) H.Buek (Buys & Van der Walt 1994b)
- grandiflorus* (Andrews) Levyns (Buys & Van der Walt 1994b)
- montanus* H.Buek (Buys & Van der Walt 1994a)
- regulareflorus* (*Ker Gawl.*) Buys (Buys & Van der Walt 1994b)
- Lonchitis cafferorum* (L.) Bernh. (Roux 1995)
- Lotononis magnistipulata* Dummer (Edwards 1993)
- Lunularia *Adans.* (Perold 1993b)
- cruciata* (L.) Dumort. ex *Lindb.* (Perold 1993b, 1995d)
- Lunulariaceae (Perold 1993b, 1995d)
- Lycium* L. (Minne *et al.* 1994)
- Lyngbya
- confervoides* C.Agardh ex *Gomont* (Silva 1991)
- majuscula* Harv. ex *Gomont* (Silva 1991)
- nigra* C.Agardh ex *Gomont* (Silva 1991)
- Lythraceae (Immelman 1991)
- Lythrum*
- rigidulum* Sond. (Immelman 1991)
- rivulare* J.M.Wood & M.S.Evans ex J.M.Wood (Immelman 1991)
- sagittifolium* Sond. (Immelman 1991)
- Macroceratides* Raddi *pseudo-stizolobium* (Franklin Hennessy 1991)
- Macrocoma (Hornsch. ex C.Müll.) Grout* (Van Rooy 1992)
- Macrocybium* Walp. *vogelii* (Hook.f.) Walp. (Franklin Hennessy 1991)
- macrophytes (Weisser, Whitfield & Hall 1992)
- Macrostigmathea *Engl. & Diels*, section (Hennessy & Rodman 1995)
- Madagascar (Leistner *et al.* 1995), (Winter & Van Wyk 1994)
- Maggs, G.L. (Vorster & Maggs 1992)
- Makednothallus stephanii* (J.B.Jack) Schust. (Perold 1993f)
- Malawi (Kurzweil 1992), (Perold 1993c)
- Manglilla milleriana* (Lam.) Pers. (Andrews 1994)
- mangrove (Silva 1991)
- Mannia Opiz* (Perold 1994a)
- capensis* (Steph.) S.W.Arnell var. *pallida* S.W.Arnell (Perold 1994a)
- raddii* Opiz (Perold 1994a)
- triandra* (Scop.) Grolle (Perold 1994a)
- Manning, J.C. (Rourke & Manning 1992)
- Marcanthus* Lour. *cochinchinensis* Lour. (Franklin Hennessy 1991)
- Marchantia* L. (Perold 1995b)
- section *Astromarchantia* Nees (Perold 1995b)
- section *Chlamidium* (Perold 1995b)
- section *Chlamidium* (Corda) Nees (Perold 1995b)
- section *Paleaceae Bischl.* (Perold 1995b)
- section *Papillatae Bischl.* (Perold 1995b)
- subgen. *Marchantia* (Perold 1995b)
- subgen. *Chlamidium (Corda) Bischl.* (Perold 1995b)
- berteroana* *Lehm. & Lindenb.* (Perold 1995b)
- chevalieri* Steph. (Perold 1995b)
- contracta* Bisch. (Perold 1995b)
- debilis* *Goebel* (Perold 1995b)
- flavescens* Steph. (Perold 1995b)
- hirsuta* Sw. (Perold 1993b)
- irrigua* Wilson ex Hook. (Perold 1993b)
- paleacea Bertol.* subsp. *paleacea* (Perold 1995b)
- papillata* Raddi var. *italica* Raddi (Perold 1995b)
- pappeana* *Lehm.* subsp. *pappeana* Bischl. (Perold 1995b)
- parviloba* Steph. (Perold 1995b)
- planiloba* Steph. var. *walteri* Burgeff (Perold 1995b)
- polymorpha* L. subsp. *ruderalis Bischl. & Boisselier-Dubayle* (Perold 1995b)
- spathysii* Lindenb. (Perold 1993d)
- stephanii* Vanden Berghen (Perold 1995b)
- tabularis* Nees (Perold 1995b)
- wilmsii* Steph. (Perold 1995b)
- winkleri* Steph. (Perold 1995b)
- Marchantia* L. (without rank) *Marchantiotypus* Dumort. (Perold 1995b)
- Marchantia* L. (without rank) *Stellatae* Gottsche, Lindenb. & Nees (Perold 1995b)
- Marchantia* M.Marchant f. (Perold 1995b)
- Marchantiaceae (Perold 1993b)
- Marchantiales (Perold 1991a, b; 1992a; 1993b, d, e; 1994a-d; 1995a, b)
- Marchantiopsis* Douin & R.C.V.Douin (Perold 1995b)
- Marloth Nature Reserve, Cape (McDonald 1993b)
- Marsilia* Kuntze (Perold 1993b)
- Mbonambi Beach, Arcuate Scar, Zululand (Weisser, Smith, Backer & Van Eeden 1992)
- McKenzie, B. (Shackleton *et al.* 1991)
- Medeola asparagoides* L. (Fellingham & Meyer 1995)
- medicinal plants (Bukenya & Carasco 1995)
- mediterranean-type shrublands (Allsopp & Stock 1993)

- meiosis (Spies *et al.* 1991, 1994)
 Melampsoraceae (Van Reenen 1995)
Melanthium triquetrum L.f. (Wijnands 1991)
Melia azedarach L. (Henderson 1991b)
Melolobium involucratum (Thunb.) C.H.Stirt. (Van Wyk 1992)
 Melongena *Dunal*, section (Bukanya & Carasco 1995)
 Memoriam (1995): Jan Kornas (26 April 1923–8 August 1994); Ellaphie Ward Hilhorst (10 July–30 June 1994); Frank White (5 March 1927–12 September 1994)
 Mentis, M.T. (Shackleton *et al.* 1991)
 Merxmullera *Conert* (Barker 1994)
 setacea *N.P.Barker* (Barker & Ellis 1991)
 Metzgeriales (Hepaticae) (Perold 1992b; 1993c, f)
 Meve, U. (Albers & Meve 1991)
 Meyer, N.L. (Fellingham & Meyer 1995)
 Microcharis *Benth.* (Schrire 1992)
 ammophila (*Thulin*) *Schrire* (Schrire 1992)
 angolensis *Baker* (Schrire 1992)
 annua (*Milne-Redh.*) *Schrire* (Schrire 1992)
 aphylla (*R. Vig.*) *Schrire, Du Puy & Labat* (Schrire 1992)
 asparagoides (*Taub.*) *Schrire* (Schrire 1992)
 brevistaminea (*J.B.Gillett*) *Schrire* (Schrire 1992)
 buchneri (*Taub.*) *Schrire* (Schrire 1992)
 butayei (*De Wild.*) *Schrire* (Schrire 1992)
 cana (*Thulin*) *Schrire* (Schrire 1992)
 contorta (*J.B.Gillett*) *Schrire* (Schrire 1992)
 cufodontii (*Chiov.*) *Schrire* (Schrire 1992)
 disjuncta (*J.B.Gillett*) *Schrire* (Schrire 1992)
 var. *disjuncta* (Schrire 1992)
 var. *fallax* (*J.B.Gillett*) *Schrire* (Schrire 1992)
 ephemera (*J.B.Gillett*) *Schrire* (Schrire 1992)
 galpinii *N.E.Br.* (Schrire 1992)
 garissaënsis (*J.B.Gillett*) *Schrire* (Schrire 1992)
 gyrata (*Thulin*) *Schrire* (Schrire 1992)
 karinensis (*Thulin*) *Schrire* (Schrire 1992)
 kucharii (*Thulin*) *Schrire* (Schrire 1992)
 latifolia *Benth.* (Schrire 1992)
 longicalyx (*J.B.Gillett*) *Schrire* (Schrire 1992)
 medicaginea (*Welw. ex Baker*) *Schrire* (Schrire 1992)
 microcharoides (*Taub.*) *Schrire* (Schrire 1992)
 var. *latestipulata* (*J.B.Gillett*) *Schrire* (Schrire 1992)
 var. *microcharoides* (Schrire 1992)
 phylogramme (*R. Vig.*) *Schrire, Du Puy & Labat* (Schrire 1992)
 praetermissa (*Baker f.*) *Schrire* (Schrire 1992)
 pseudo-indigofera *Merxm.* (Schrire 1992)
 remotiflora (*Taub. ex Baker f.*) *Schrire* (Schrire 1992)
 sessilis (*Thulin*) *Schrire* (Schrire 1992)
 spathulata (*J.B.Gillett*) *Schrire* (Schrire 1992)
 stipulosa (*Chiov.*) *Schrire* (Schrire 1992)
 tenella *Benth.* (Schrire 1992)
 tenella sensu *Baker f.* (Schrire 1992)
 tenuirostris (*Thulin*) *Schrire* (Schrire 1992)
 tisserantii (*Pellegr.*) *Schrire* (Schrire 1992)
 tritoides (*Baker*) *Schrire* (Schrire 1992)
 subsp. *obbiadensis* (*Chiov.*) *Schrire* (Schrire 1992)
 subsp. *tritoides* (Schrire 1992)
 wajirensis (*J.B.Gillett*) *Schrire* (Schrire 1992)
 welwitschii (*Baker*) *Schrire* (Schrire 1992)
 Microcoleus
 chthonoplastes *Thur. ex Gomont* (Silva 1991)
 lynbyaceus (Kütz.) P.Crouan (Silva 1991)
 Microcystaceae (Chroococcales, Cyanophyceae) (Silva 1991)
 Microdon
 bracteatus (*Thunb.*) *I.H.Hartley* (Hartley 1991)
 lucidus (Vent.) Choisy (Hartley 1991)
 Micropteryx Walp. (Franklin Hennessy 1991)
 poepigiana Walp. (Franklin Hennessy 1991)
 reticulata (Presl) Walp. (Franklin Hennessy 1991)
 Micropylum *Bischn.*, subgenus (Perold 1995a)
 millipedes (Gorter 1993)
 Milton, S.J. (Roux *et al.* 1992)
 Minima, section (Justicia) *Immelman* (Immelman 1992)
 miombo woodland (Campbell *et al.* 1995)
 mixoploidy (Albers & Meve 1991)
 Mkambati Game Reserve, Pondoland, Transkei (Shackleton *et al.* 1991)
 Mohria Sw. (Roux 1992, 1993b, 1994, 1995)
 cafferorum (*L.*) *Desv.* (Roux 1993b, 1995)
 var. *ferruginea* J.E. & S.M.Burrows (Roux 1995)
 var. *multisquamosa* Bonap. (Roux 1995)
 var. *vestita* (Baker) F.Ballard (Roux 1995)
 hirsuta J.P.Roux (Roux 1995)
 lepigera (*Baker*) *Baker* var. *madagascarica* Tardieu (Roux 1995)
 marginalis (*Savigny*) *J.P.Roux* (Roux 1993b, 1995)
 nudiuscula *J.P.Roux* (Roux 1995)
 rigida *J.P.Roux* (Roux 1995)
 saxatilis *J.P.Roux* (Roux 1995)
 thurifraga sensu E.J.Lowe (Roux 1995)
 thurifraga Sw. var. *achilleifolia* (as *achilliaefolia*) E.J.Lowe (Roux 1995)
 var. *vestita* *Baker* (Roux 1993b, 1995)
 Moll, E.J. (Joubert & Moll 1992), (Mustart *et al.* 1993)
 Moloney, C.L. (Roux *et al.* 1992)
 Mondia *Skeels* (Verhoeven & Venter 1993)
 monitoring (Weisser, Whitfield & Hall 1992)
 Monodolichopus *Bitter*, section (Bukanya & Carasco 1995)
 Monticapra *Koekemoer*, section *Disparago* (Koekemoer 1993)
 Moraceae (Compton 1992)
 morphology (Barker 1993, 1994, 1995), (Barker & Ellis 1991), (Beyers & Van der Walt 1994, 1995), (Helme & Linder 1992), (Parkinson 1994), (Roux 1992; 1993b), (Smook & Ellis 1993)
 Mouricou Rheedee ex Adans. (Franklin Hennessy 1991)
 Mozambique (Silva 1991)
 Mt Mulanje (Malawi) (Kurzweil 1992)
 Mucuna Adans. (Franklin Hennessy 1991)
 subgen. *Mucuna* *Verdc.* (Franklin Hennessy 1991)
 subgen. *Zoophthalmum* (P.Browne) Prain (Franklin Hennessy 1991)
 subgen. *Stizolobium* (P.Browne) Prain (Franklin Hennessy 1991)
 coriacea sensu Hauman (Franklin Hennessy 1991)
 coriacea *Baker* subsp. *irritans* (*Burt Davy*) *Verdc.* (Franklin Hennessy 1991)
 deeringiana (Bort) Merr. (Franklin Hennessy 1991)
 flagellipes sensu *Baker f.* (Franklin Hennessy 1991)
 gigantea (*Willd.*) *DC.* subsp. *quadrialata* (Baker) *Verdc.* (Franklin Hennessy 1991)
 longipedicillata Hauman (Franklin Hennessy 1991)
 pruriens (*L.*) *DC.* (Franklin Hennessy 1991)
 var. *pruriens* (Franklin Hennessy 1991)
 var. *utilis* (*Wall. ex Wight*) *Baker ex Burck* (Franklin Hennessy 1991)

Mucuna (cont.)

quadrialata Baker (Franklin Hennessy 1991)
utilis Wall. ex Wight (Franklin Hennessy 1991)
velutina Hassk. (Franklin Hennessy 1991)
municipal Durban (Roberts 1993)
mycology (A. Louise Schutte 1994)
mycorrhizas (Allsopp & Stock 1993)
mycotoxins (A. Louise Schutte 1994)
Myriorrhynchus Lindb. & H.W.Arnell *fimbriatus* (Perold 1994b)
Myrsine mitis (L.) Spreng. (Andrews 1994)
Myrsiphyllum
alopecurum Oberm. (Fellingham & Meyer 1995)
asparagoides (L.) Willd. (Fellingham & Meyer 1995)
declinatum (L.) Oberm. (Fellingham & Meyer 1995)
fasciculatum (Thunb.) Oberm. (Fellingham & Meyer 1995)
juniperoides (Engl.) Oberm. (Fellingham & Meyer 1995)
kraussianum Kunth (Fellingham & Meyer 1995)
multituberosum (R.A.Dyer) Oberm. (Fellingham & Meyer 1995)
ovatum (T.M.Salter) Oberm. (Fellingham & Meyer 1995)
ramosissimum (Baker) Oberm. (Fellingham & Meyer 1995)
scandens (Thunb.) Oberm. (Fellingham & Meyer 1995)
undulatum (L.f.) Kunth (Fellingham & Meyer 1995)
vulubile (Thunb.) Oberm. (Fellingham & Meyer 1995)
Najas marina (Weisser, Whitfield & Hall 1992)
Nama-Karoo Biome (Henderson 1991a, b; 1992)
Namaqualand, Western Cape (Beyers 1995), (Brusse 1992b), (Struck 1994)
name changes (De Wet *et al.* 1991), (Koekemoer 1991)
Namibia (Bruyns 1995), (Smook & Ellis 1993)
southern (Snijman 1992)
Natal (Roberts 1993), (Rourke & Manning 1992), (Weisser, Smith, Backer & Van Eeden 1992)
flora (Rourke & Manning 1992)
National Botanical Institute, Pretoria: list of staff and publications (1991–1993)
naturalized alien (Rourke 1991a)
Negretia Ruiz. & Pav. (Franklin Hennessy 1991)
urens (L.) Ruiz. & Pav. (Franklin Hennessy 1991)
Neoboivinella natalensis (Sond.) Aubrév. & Pellegr. (Nicholas & Goyder 1993)
Neosartorya Malloch & Cain (A. Louise Schutte 1994)
Nesaea Comm. ex Humb., Bonpl. & Kunth (Immelman 1991)
alata Immelman (Immelman 1991)
anagalloides (Sond.) Koehne (Immelman 1991)
angustifolia Immelman (Immelman 1991)
aspera (Guill. & Perr.) Koehne (Immelman 1991)
cordata Hiern (Immelman 1991)
crassicaulis (Guill. & Perr.) Koehne (Immelman 1991)
cymosa Immelman (Immelman 1991)
dinteri Koehne subsp. *elata* A.Fern. (Immelman 1991)
drummondii A.Fern. (Immelman 1991)
floribunda Sond. (Immelman 1991)
heptamera Hiern (Immelman 1991)
kuntzei Koehne (Immelman 1991)
loandensis auct. non (Hiern) Koehne (Immelman 1991)
luederitzii Koehne (Immelman 1991)
var. *hereroensis* Koehne (Immelman 1991)
var. *luederitzii* (Immelman 1991)
minima Immelman (Immelman 1991)

mucronata Koehne (Immelman 1991)
ondongana Koehne (Immelman 1991)
subsp. *ondongana* (Immelman 1991)
var. *evansiana* (A.Fern. & Diniz) A.Fern. (Immelman 1991)
var. *ondongana* (Immelman 1991)
passerinoides (Hiern) Koehne (Immelman 1991)
radicans Guill. & Perr. (Immelman 1991)
var. *floribunda* (Sond.) A.Fern. (Immelman 1991)
var. *radicans* (Immelman 1991)
rautanenii Koehne (Immelman 1991)
rigidula (Sond.) Koehne (Immelman 1991)
sagittifolia (Sond.) Koehne (Immelman 1991)
var. *ericiformis* Koehne (Immelman 1991)
forma *ericiformis* (Immelman 1991)
forma *swaziensis* Immelman (Immelman 1991)
var. *sagittifolia* (Immelman 1991)
saluta Immelman (Immelman 1991)
sarcophylla (Hiern) Koehne (Immelman 1991)
schinzii Koehne (Immelman 1991)
var. *fleckii* Koehne (Immelman 1991)
var. *rehmannii* Koehne (Immelman 1991)
schlechteri A.Fern. (Immelman 1991)
straminea Koehne (Immelman 1991)
teixeirae A.Fern. (Immelman 1991)
tolypobotrys Koehne (Immelman 1991)
transvaalica A.Fern. (Immelman 1991)
wardii Immelman (Immelman 1991)
woodii Koehne (Immelman 1991)
zambatidis Immelman (Immelman 1991)

new

combination(s) (Bredenkamp & Smith 1993), (Burrows & Edwards 1993), (Bruyns 1995), (Buys & Van der Walt 1994), (Fellingham & Meyer 1995), (Hartley 1991), (Herman 1995c), (Nicholas & Goyder 1992, 1993), (Oliver 1993a, 1994), (Oliver & Oliver 1994), (Schrire 1992), (Van Wyk 1992), (Wijnands 1991)
cytotype (Roux 1993a)
distribution records (Burrows & Crouch 1995)
genus (Nicholas & Goyder 1992), (Snijman 1991)
names (Oliver 1993a, 1994)
provinces of South Africa (guide for authors to Bothalia 1994)
records (Browning *et al.* 1995), (Bruyns 1995), (Burrows & Crouch 1995), (Compton 1992), (De Wet *et al.* 1991), (Du Preez & Zietsman 1991), (Linder 1991), (Perold 1992a, 1995d), (Rourke 1991a), (Van Reenen 1995), (Van Rooy & Perold 1992a, b)
sections (Immelman 1992), (Koekemoer 1993)
species (Barker 1993, 1995), (Barker & Ellis 1991), (Beyers 1995), (Brusse 1991; 1992a, b), (Bruyns 1993, 1995), (Burrows & Edwards 1993, 1995), (De Wet *et al.* 1991), (Edwards 1993), (Edwards *et al.* 1992), (Fellingham 1995), (Germishuizen 1991b, 1992), (Gorter 1993), (Herman 1995a), (Immelman 1991), (Koekemoer 1991), (Nicholas & Goyder 1992), (Oliver 1993b, c; 1995), (Oliver & Fellingham 1991, 1994), (Oliver & Oliver 1991, 1995), (Oliver *et al.* 1992), (Perold 1993d, f; 1994c), (Pienaar 1993), (Retief 1991), (Rourke 1994a, b), (A.L.Schutte 1992), (Schutte & Van Wyk 1991, 1992), (Smook & Ellis 1993), (Snijman 1991, 1992), (Steiner 1992)

new (cont.)

- status (Burrows & Edwards 1993, 1995), (Edwards *et al.* 1992), (Oliver & Oliver 1994), (Schrire 1992), (Van Wyk & Van der Walt 1995)
- subsp. (Barker 1993), (Burrows & Edwards 1993), (Snijman 1992)
- synonyms (Edwards 1993), (Oliver 1993a)
- taxa (De Wet *et al.* 1991)
- Nicholas, A. (Retief *et al.* 1995)
- Nicotiana glauca *Graham* (Henderson 1991b)
- Nightingale Island (S Atlantic) (Roux *et al.* 1992)
- Nodularia sp. (Silva 1991)
- nom. illegit. (Perold 1995a)
- nom. nov. (Oliver 1993a, 1994)
- nomenclature (Buys & Van der Walt 1994b), (Herman 1995b), (Momberg 1995), (Oliver 1993a), (Oliver & Oliver 1994)
- northern Cape (Germishuizen 1991b), (Henderson 1991b)
- Northern
Cape (Oliver & Fellingham 1994)
- Transvaal (Brooks & Owen-Smith 1994)
- northwestern Cape (Bruyns 1992), (Snijman 1991, 1992)
- Nostocaceae (Nostocales, Cyanophyceae) (Silva 1991)
- Nostocales, Cyanophyceae (Silva 1991)
- Notochlaena lepigera* Baker (Roux 1995)
- Nylsvley (Brooks & Owen-Smith 1994)
- obituary (Glen & Welman 1995), (Kärnefelt 1994), (Oliver 1991), (Rourke 1995), (Smith & Glen 1995), (Wells & Brink 1992)
- Octokepos* Griff. (Perold 1994c)
- Oleandra distenta *Kunze* (Du Preez & Zietsman 1991)
- Oleandraceae (Burrows & Crouch 1995)
- Oliganthes (*Dunal*) *Bitter*, section (Bukenya & Carasco 1995)
- Oligocarpha* Cass. *neriifolia* (L.) Cass. (Cilliers 1993)
- Oliver, Inge M. (Oliver & Oliver 1991, 1994, 1995)
- Oncobirsa rivularis* (Kütz.) Menegh. (Silva 1991)
- Onixotis
stricta (*Burm.f.*) *Wijnands* (Wijnands 1991)
- triquetra* (L.f.) Mabb. (Wijnands 1991)
- Onseepkans, northern Cape (Germishuizen 1991b)
- Ophioglossaceae (Burrows & Crouch 1995), (Burrows & Edwards 1993, 1995)
- Ophioglossum *L.* (Burrows & Edwards 1993, 1995)
- caroticaule *J.E. Burrows* (Burrows & Edwards 1993)
- goezianum Welw. ex A.Br. var. *latifolium* Prantl (Burrows & Edwards 1993)
- gracile *Pocock ex J.E. Burrows* (Burrows & Edwards 1995)
- gracillimum Welw. ex *Hook. & Baker* (Burrows & Crouch 1995; Burrows & Edwards 1993)
- gramineum Willd. (Burrows & Edwards 1993)
- lancifolium aggregate (Burrows & Edwards 1993)
- lancifolium *Presl* (Burrows & Edwards 1993)
- latifolium (*Prantl*) *J.E. Burrows* (Burrows & Edwards 1993)
- lusitanicum *L.* var. *gracillimum* Welw. ex A.Br. (Burrows & Edwards 1993)
- lusoaffricanum Welw. ex *Prantl* (Burrows & Edwards 1993)
- nudicaule L.f. sensu Roux (Burrows & Edwards 1995)
- rubellum Welw. ex *A. Braun* (Burrows & Crouch 1995; Burrows & Edwards 1993)
- vulgatum *L.*
subsp. africanum *Pocock ex J.E. Burrows* (Burrows & Edwards 1993)
- subsp. kilimandscharicum (*Hieron.*) *J.E. Burrows* (Burrows & Edwards 1995)
- var. *gracile* Pocock (Burrows & Edwards 1995)
- var. *kilimandscharicum* Hieron. (Burrows & Edwards 1995)
- Opuntia ficus-indica* (*L.*) *Mill.* (Henderson 1991b)
- Orange Free State (Du Preez & Zietsman 1991), (Eckhardt *et al.* 1993), (Henderson 1991a)
- Orchidaceae (Kurzweil 1992)
- ordination (Shackleton *et al.* 1991)
- ornamentals (Bukenya & Carasco 1995)
- Ornithogalum*
cepaceum *Burm.f.* (Wijnands 1991)
- tuberosum* *Mill.* (Wijnands 1991)
- Oscillatoria jenensis *G. Schmid* (Silva 1991)
- Oscillatoriaceae (Oscillatoriales, Cyanophyceae) (Silva 1991)
- Oscillatoriales (Cyanophyceae) (Silva 1991)
- Osmunda*
crenata Desv. (Roux 1995)
- marginalis* Savigny (Roux 1995)
- thurifera* Sw. (Roux 1995)
- thurifraga* Comm. ex Bory (Roux 1995)
- thurifraga* Comm. ex Savigny (Roux 1995)
- overview (A. Louise Schutte 1992, 1994)
- Owen-Smith, N. (Brooks & Owen-Smith 1994)
- Oxalidaceae (Oliver 1993c)
- Oxalis oculifera* *E.G.H. Oliv.* (Oliver 1993c)
- Oxymitra* *Bisch. ex Lindenb.* cristata *Garside ex Perold* (Perold 1993d)
- Oxymitraceae (Perold 1993d)
- Pachycarpus* *E. Mey.* schweinfurthii (*N.E.Br.*) *Bullock* (Bruyns 1995)
- Pachystela magalismontana* (Sond.) Lecomte (Nicholas & Goyder 1993)
- Paleaceae *Bischl.*, section (Perold 1995b)
- Pallavicinia
capensis S.W. Arnell (Perold 1992b)
- lyelii (*Hook.*) *Carruth.* (Perold 1993a)
- pilifera* Steph. (Perold 1993a)
- spinosa* (Lindenb. & Gottsche) Grolle (Perold 1993f)
- stephanii* J.B. Jack (Perold 1993f)
- Pallaviciniaceae (Perold 1992b; 1993a)
- Pallaviciniaceae (Perold 1993f)
- Pallavicinius stephanii* J.B. Jack (Perold 1993f)
- Panicoideae (Spies *et al.* 1994)
- Panicum simulans* *Smook* (Smook & Ellis 1993)
- Papilionoideae (Fabaceae) (Schrire 1992)
- Papillatae *Bischl.*, section (Perold 1995b)
- Paranomus reflexus* (*E. Phillips & Hutch.*) *Fourc.* (Rourke 1992a)
- pathology (A. Louise Schutte 1994)
- Pelargonium L'Hér.
sect. Cortusina (*DC.*) *Harv.* (Dreyer & Van der Walt 1991)
- sect. Polyactium *DC.* (Vorster & Maggs 1992)
- acuminatum* (Thunb.) *DC.* (Van Wyk & Van der Walt 1995)
- diversifolium* Wendl. (Van Wyk & Van der Walt 1995)
- laevigatum (*L.f.*) *Willd.* (Van Wyk & Van der Walt 1995)
- subsp. diversifolium (*Wendl.*) *Schonken* (Van Wyk & Van der Walt 1995)
- subsp. laevigatum (Van Wyk & Van der Walt 1995)

- Pelargonium laevigatum* (cont.)
 subsp. *oxyphyllum* (DC.) *Schonken* (Van Wyk & Van der Walt 1995)
 var. *compositum* L 'Hér. ex DC. (Van Wyk & Van der Walt 1995)
 var. *oxyphyllum* (DC.) Harv. (Van Wyk & Van der Walt 1995)
macowanii Bolus (Van Wyk & Van der Walt 1995)
multibracteatum *Hochst.* (Vorster & Friis 1995)
multiradiatum *Wendl.* (Vorster & Maggs 1992)
oxyphyllum DC. (Van Wyk & Van der Walt 1995)
trifoliatum (Andr.) Sweet (Van Wyk & Van der Walt 1995)
- Penicillium* *Link* (A. Louise Schutte 1992)
- Pentameris* *P. Beauv.* (Barker 1993, 1994)
distichophylla (*Lehm.*) *Nees* (Barker 1993)
dregeana Stapf (Barker 1993)
glacialis *N.P.Barker* (Barker 1993)
hirtiglumis *N.P.Barker* (Barker 1993)
longiglumis (*Nees*) Stapf (Barker 1993)
 subsp. *gymnocolea* *N.P.Barker* (Barker 1993)
 subsp. *longiglumis* (Barker 1993)
macrantha (*Schrad.*) *Nees* (Barker 1995)
macrocalycina (*Steud.*) *Schweick.* (Barker 1993)
obtusifolia (*Hochst.*) *Schweick.* (Barker 1995)
obtusifolia sensu *Ellis* (Barker 1993)
oreophila *N.P.Barker* (Barker 1993)
 sp. (Barker 1993)
speciosa (*Lehm.* ex *Nees*) Stapf (Barker 1993)
 sp. nov. (Barker 1995)
squarrosa Stapf (Barker 1995)
swartbergensis *N.P.Barker* (Barker 1993)
thuarii *Beauv.* var. *burchellii* Stapf (Barker 1993)
uniflora *N.P.Barker* (Barker 1993)
- Pentaschistis* (*Nees*) *Spach* (Barker 1994)
Percy-Lancaster, Alan (Smith & Glen 1995)
 perennial (Joubert & Moll 1992)
 Periplocaceae (Verhoeven & Venter 1993)
 perispore formation (Parkinson 1994)
 Perold, S.M. (De Wet *et al.* 1991), (Van Rooy & Perold 1992a, b)
 pest eradication (Retief *et al.* 1995)
Petota *Dumort.*, section (Bukanya & Carasco 1995)
 phenetics (Barker 1995)
 phenology (Struck 1994)
 Phesantefontein, Cape (McDonald 1993c)
Philippia *Klotzsch* (Oliver 1994)
 Phormidiaceae (Oscillatoriales, Cyanophyceae) (Silva 1991)
Phragmites *Adans.* (Barker 1994)
Phragmoblepharis *Grolle*, subgenus of *Asterella* (Perold 1994c)
 phylogenetics (Barker 1995)
 phylogeny (Barker 1993), (Helme & Linder 1992)
Physocolea savesiana Steph. (Perold 1992c)
 phytosociological survey (Mustart *et al.* 1993)
 phytosociology (Joubert & Moll 1992), (McDonald 1993a-c), (Mustart *et al.* 1993), (Myburgh *et al.* 1992), (Roberts 1993)
- PHYTOTAB (Roberts 1933)
- Pillera* Endl. *macrocarpa* (Wall.) Endl. (Franklin Hennessy 1991)
- Plagiiochasma* *Lehm. & Lindenb.* (Perold 1995a)
 subgenus (Perold 1995a)
abyssinicum Gola (Perold 1995a)
algericum Steph. (Perold 1995a)
appendiculatum *Lehm. & Lindenb.* var. *erythraeum* Gola (Perold 1995a)
beccarianum Steph. (Perold 1995a)
capense Sim. (Perold 1995a)
dinteri Steph. (Perold 1995a)
dschallanum Steph. (Perold 1995a)
eximium (*Schiffn.*) Steph. (Perold 1995a)
fischerianum (Steph.) Steph. (Perold 1995a)
microcephalum (Steph.) Steph. var. *microcephalum* (Perold 1995a)
muricatum Steph. (Perold 1995a)
rupestre (*J.R. & G.Forst.*) Steph. (Perold 1995a)
 var. *rupestre* (Perold 1995a)
 var. *volkii* *Bischl.* (Perold 1995a)
schimperi Steph. (Perold 1995a)
tenue Steph. (Perold 1995a)
 plant communities (McDonald 1993a-c), (Mustart *et al.* 1993)
 plant uses (Oryem-Origa *et al.* 1995)
Platycoaspis Lind. (Perold 1994d)
Platycolea *Schust.* (Perold 1992c)
 Poaceae (Arriaga 1992), (Barker 1993-1995), (Barker & Ellis 1991), (Hiremath & Salimath 1991), (Linder 1991), (Smook & Ellis 1993), (Spies *et al.* 1991, 1994), (Strydom & Spies 1994a, b)
 Podalyrieae (Fabaceae) (A.L. Schutte 1992)
 Podocarpaceae (Leistner *et al.* 1995)
Podocarpus *L'Hér. ex Pers.* (Leistner *et al.* 1995)
Poellnitzia *Uitewaal* (Smith 1991, 1995b)
rubriflora (*L. Bolus*) *Uitewaal* var. *jacobseniana* (Poelln.) *Uitewaal* (Smith 1995b)
Polemannia *Eckl. & Zeyh.* (Winter & Van Wyk 1994)
Polemanniopsis *B.L.Burt* (Winter & Van Wyk 1994)
Polhillia *C.H.Stirt.* (Van Wyk 1992)
brevicalyx (*C.H.Stirt.*) *B.-E.van Wyk & A.L.Schutte* (Van Wyk 1992)
canescens *C.H.Stirt.* (Van Wyk 1992)
connata (*Harv.*) *C.H.Stirt.* (Van Wyk 1992)
involucrata (*Thunb.*) *B.-E.van Wyk & A.L.Schutte* (Van Wyk 1992)
obsoleta (*Harv.*) *B.-E.van Wyk* (Van Wyk 1992)
pallens *C.H.Stirt.* (Van Wyk 1992)
 sp. (Van Wyk 1992)
waltersii (*C.H.Stirt.*) *C.H.Stirt.* (Van Wyk 1992)
 pollen morphology (Beyers & Van der Walt 1995), (Verhoeven & Venter 1993)
 pollination (Franklin Hennessy 1991)
 pollinators (Compton 1992)
 Polyactium, sect. (*Pelargonium*) (Vorster & Maggs 1992)
 polyphenols (Brooks & Owen-Smith 1994)
 polyploidy (Spies *et al.* 1991, 1994)
Polypodium caffrorum L. (Roux 1995)
 Pondoland (Shackleton *et al.* 1991)
Pontederia stricta Burm.f. (Wijnands 1991)
 Portugal (Perold 1991b)
Potamogeton pectinatus (Weisser, Whitfield & Hall 1992)
 Potatoe (*G.Don*) *D'Arcy*, subgenus (Bukanya & Carasco 1995)
Pouteria
magalismontana (Sond.) Meeuse (Nicholas & Goyder 1993)
natalensis (Sond.) Meeuse (Nicholas & Goyder 1993)
 precipitation (Struck 1994)
Priestleya boucheri *E.G.H.Oliv. & Fellingham* (Oliver *et al.* 1992)

- Prinos lucidus* Aiton (Andrews 1994)
Prionanthium Desv. (Barker 1994)
Prosopis sp. (Henderson 1991b)
Protasparagus
acocksii (Jessop) Oberm. (Fellingham & Meyer 1995)
aethiopicus (L.) Oberm. (Fellingham & Meyer 1995)
africanus (Lam.) Oberm. (Fellingham & Meyer 1995)
aggregatus Oberm. (Fellingham & Meyer 1995)
angusticladus (Jessop) Oberm. (Fellingham & Meyer 1995)
aspergillus (Jessop) Oberm. (Fellingham & Meyer 1995)
bayeri Oberm. (Fellingham & Meyer 1995)
bechuanicus (Baker) Oberm. (Fellingham & Meyer 1995)
biflorus Oberm. (Fellingham & Meyer 1995)
buchananii (Baker) Oberm. (Fellingham & Meyer 1995)
burchellii (Baker) Oberm. (Fellingham & Meyer 1995)
capensis (L.) Oberm. (Fellingham & Meyer 1995; Wijnands 1991)
 var. *littoralis* (Suess. & J.Karl.) Oberm. (Fellingham & Meyer 1995)
clareae Oberm. (Fellingham & Meyer 1995)
coddii Oberm. (Fellingham & Meyer 1995)
compactus (Salter) Oberm. (Wijnands 1991)
concinus (Baker) Oberm. & Immelman (Fellingham & Meyer 1995)
confertus (K.Krause) Oberm. (Fellingham & Meyer 1995)
cooperi (Baker) Oberm. (Fellingham & Meyer 1995)
crassicladus (Jessop) Oberm. (Fellingham & Meyer 1995)
densiflorus (Kunth) Oberm. (Fellingham & Meyer 1995)
denudatus (Kunth) Oberm. (Fellingham & Meyer 1995)
devinishii Oberm. (Fellingham & Meyer 1995)
divaricatus Oberm. (Fellingham & Meyer 1995)
edulis Oberm. (Fellingham & Meyer 1995)
exsertus Oberm. (Fellingham & Meyer 1995)
exuvialis (Burch.) Oberm. forma *ecklonii* (Baker) Oberm. (Fellingham & Meyer 1995)
falcatus (L.) Oberm. (Fellingham & Meyer 1995)
filicladus Oberm. (Fellingham & Meyer 1995)
flavicaulis Oberm. subsp. *setulosus* Oberm. (Fellingham & Meyer 1995)
fouriei Oberm. (Fellingham & Meyer 1995)
fractiflexus Oberm. (Fellingham & Meyer 1995)
glaucus (Kies) Oberm. (Fellingham & Meyer 1995)
graniticus Oberm. (Fellingham & Meyer 1995)
intricatus Oberm. (Fellingham & Meyer 1995)
krebsianus (Kunth) Oberm. (Fellingham & Meyer 1995)
laricinus (Burch.) Oberm. (Fellingham & Meyer 1995; Wijnands 1991)
lignosus (Burm.f.) Oberm. (Fellingham & Meyer 1995)
longicladus (N.E.Br.) B.Mathew (Fellingham & Meyer 1995)
lynetteae Oberm. (Fellingham & Meyer 1995)
macowanii (Baker) Oberm. (Fellingham & Meyer 1995)
mariae Oberm. (Fellingham & Meyer 1995)
microraphis (Kunth) Oberm. (Fellingham & Meyer 1995)
minutiflorus (Kunth) Oberm. (Fellingham & Meyer 1995)
mollis Oberm. (Fellingham & Meyer 1995)
mucronatus (Jessop) Oberm. (Fellingham & Meyer 1995)
multiflorus (Baker) Oberm. (Fellingham & Meyer 1995)
natalensis (Baker) Oberm. (Fellingham & Meyer 1995)
nelsii (Schinz) Oberm. (Fellingham & Meyer 1995)
nodulosus Oberm. (Fellingham & Meyer 1995)
oliveri Oberm. (Fellingham & Meyer 1995)
oxyacanthus (Baker) Oberm. (Fellingham & Meyer 1995)
pearsonii (Kies) Oberm. (Fellingham & Meyer 1995)
pendulus Oberm. (Fellingham & Meyer 1995)
plumosus (Baker) Oberm. (Fellingham & Meyer 1995)
racemosus (Willd.) Oberm. (Fellingham & Meyer 1995)
recurvispinus Oberm. (Fellingham & Meyer 1995)
retrofractus (L.) Oberm. (Fellingham & Meyer 1995)
rigidus (Jessop) Oberm. (Fellingham & Meyer 1995)
rubicundus (P.J.Bergius) Oberm. (Fellingham & Meyer 1995; Wijnands 1991)
schroederi (Engl.) Oberm. (Fellingham & Meyer 1995)
sekukuniensis Oberm. (Fellingham & Meyer 1995)
setaceus (Kunth) Oberm. (Fellingham & Meyer 1995)
spinescens (Steud. ex Roem. & Schult.) Oberm. (Fellingham & Meyer 1995)
stellatus (Baker) Oberm. (Fellingham & Meyer 1995)
stipulaceus (Lam.) Oberm. (Fellingham & Meyer 1995)
striatus (L.f.) Oberm. (Fellingham & Meyer 1995)
suaveolens (Burch.) Oberm. (Fellingham & Meyer 1995)
subulatus (Thunb.) Oberm. (Fellingham & Meyer 1995)
transvaalensis Oberm. (Fellingham & Meyer 1995)
virgatus (Baker) Oberm. (Fellingham & Meyer 1995)
Proteaceae (Rourke 1992a; 1994a, b)
Province, Cape (Koekemoer 1991), (McDonald 1993a, c), (Oliver 1993b), (Retief 1991)
Pseuderemia, section (Erica) (Oliver & Oliver 1991)
Pseudopentameris *Conert* (Barker 1993–1995)
 brachyphylla (*Stapf*) *Conert* (Barker 1995)
 caespitosa *N.P.Barker* (Barker 1995)
 macrantha (*Schrad.*) *Conert* (Barker 1995)
 obtusifolia (*Hochst.*) *N.P.Barker* (Barker 1995)
psocid (Retief *et al.* 1995)
Psocoptera, Order (Retief *et al.* 1995)
Pteridaceae (Burrows & Crouch 1995)
Pteridophyta (Burrows & Crouch 1995), (Burrows & Edwards 1993, 1995), (Du Preez & Zietsman 1991), (Geldenhuys 1992), (Joubert & Moll 1992b), (Parkinson 1994), (Roux 1992; 1993a, b; 1994; 1995), (Roux *et al.* 1992), (Zambatis 1994)
Pteris catoptera *Kunze* var. *horridula* *Schelpke* (Burrows & Crouch 1995)
publications by the staff of the NBI, (Momborg 1994, 1995b), (National Botanical Institute, South Africa)
Pucciniaceae (Van Reenen 1995)
Pycnoscenus Lindb. (Perold 1993d)
Pycreus muricatus (*Kük.*) *Napper* (Browning *et al.* 1995)
Pyxinaceae (Lichenes) (Brusse 1992b)
Raphidospora, section (Justicia) (Immelman 1992)
Reboulia hemisphaerica (Perold 1994c)
Reboulloideae (Perold 1994c)
records
 distribution (Burrows & Crouch 1995)
 new (De Wet *et al.* 1991)
Reid, C. (De Wet *et al.* 1991)
resurrected names (Schrire 1992)
revision (Franklin Hennessy 1991)
Rhacotheca Bisch. (Perold 1994c)
Rhoicissus laetans *Retief* (Retief 1993)
Rhus *L.* (Moffett 1994)
Rhynchotropis curtisiae I.M.Johnst. (Schrire 1992)
Riccia
 abnormis Steph. (Perold 1992a)
 bullosa *Link ex Lindenb.* (Perold 1991b)
 chevalieri Steph. (Perold 1992a)
 crassa Nees ex Lindenb. (Perold 1991b)
 crystallina *L.* (Perold 1992d)
 moenkemeyeri *Steph.* (Perold 1992a)

- Riccia (cont.)
montaguensis S.W.Arnell (Perold 1991b)
rubricollis Garside & A.V.Duthie ex Perold (Perold 1991a)
 subgen. Ricciella (Perold 1991b)
 Ricciaceae (Perold 1992a, d; 1995c)
 index to taxa (Perold 1995c)
 Ricciae (Perold 1995c)
Ricciella undulata S.W.Arnell (Perold 1992a)
 Ricciella, subgen. (Riccia) (Perold 1991b)
 Rivulariaceae (Nostocales, Cyanophyceae) (Silva 1991)
 roadside survey (Henderson 1991a, b; 1992)
 Rodman, S. (Hennessy & Rodman 1995)
 Rooiwaterspruit, Cape (McDonald 1993c)
 root systems (Allsopp & Stock 1993)
 Rosaceae (Fellingham 1993a, b; 1994; 1995), (Oliver & Fellingham 1991)
Rostellaria T.Anderson, section, *Ansellia* (C.B.Clarke) V.A.W.Graham, subsection (Immelman 1992)
Rupinia L.f. (Perold 1995a)
Ruppinia L.f. (Perold 1995a)
 rust fungi (Van Reenen 1995)
 Rwenzori Mountain, Uganda (Oryem-Origa *et al.* 1995)
 Ryan, P.G. (Roux *et al.* 1992)
 Rycroft, Hedley Brian (1918-1990) (Oliver 1991)
 Saayman, E.J.L. (Spies *et al.* 1991)
 Salimath, S.S. (Hiremath & Salimath 1991)
 salt glands (Arriaga 1992)
 saltmarsh (O'Callaghan 1994a-d)
 Sapotaceae (Bredenkamp & Smith 1993)
 Savanna Biome (Henderson 1991a, b; 1992), (Zambatis 1994)
 Schismus *P.Beauv.* (Barker 1994)
 Schizaea pectinata (*L.*) Sw. (Parkinson 1994)
 Schizaeaceae (Parkinson 1994)
 Schizoglossum *E.Mey.* saccatum Bruyns (Bruyns 1995)
Schizothrix arenaria (Berk.) Gomont (Silva 1991)
 Scleria unguiculata *E.A.Rob.* (Browning *et al.* 1995)
 Sclerocleista *Subram.* (A. Louise Schutte 1994)
Scleroxylum mite (*L.*) Willd. (Andrews 1994)
 Scrophulariaceae (Steiner 1992)
 seasonality (Struck 1994)
 sect. nov. (Immelman 1992), (Koekemoer 1993)
 section(s) (Buys & Van der Walt 1995), (Perold 1995c)
Acanthophora Dunal (Bukenya & Carasco 1995)
Aculeigerum Seithe (Bukenya & Carasco 1995)
Afrosolanum Bitter (Bukenya & Carasco 1995)
 Arboreae (genus Cliffortia) (Oliver & Fellingham 1994)
Benderianum Bitter (Bukenya & Carasco 1995)
Brevantherum Seithe (Bukenya & Carasco 1995)
 Chlamidium (Perold 1995b)
Jasminosolanum Bitter ex Seithe (Bukenya & Carasco 1995)
 Macrostigmatea *Engl. & Diels* (Hennessy & Rodman 1995)
Melongena Dunal (Bukenya & Carasco 1995)
Monodolichopus Bitter (Bukenya & Carasco 1995)
Oliganthes (Dunal) Bitter (Bukenya & Carasco 1995)
 Paleaceae *Bischl.* (Perold 1995b)
 Papillatae *Bischl.* (Perold 1995b)
Petota Dumort. (Bukenya & Carasco 1995)
 Saccatae (subgenus Asterella) (Perold 1994c)
Solanum Seithe (Bukenya & Carasco 1995)
 Torva *Nees* (Bukenya & Carasco 1995)
 Xeromannia (Aytoniaceae) (Perold 1994a)
Sedgwickia Bowdich (Perold 1993b)
 seed
 number (Snijman & Williamson 1994)
 size (Snijman & Williamson 1994)
 Selaginaceae (Hartley 1991)
Selago
bracteata Thunb. (Hartley 1991)
lucidus Vent. (Hartley 1991)
Selenia Hill (Perold 1993b)
 Senecioneae (Asteraceae) (Cron *et al.* 1994)
Seriphium
ericoides (P.J.Bergius) Pers. (Koekemoer 1993)
 sp. auctt. (Koekemoer 1993)
 serotiny (Oliver & Fellingham 1994)
 Serruria
altiscapa Rourke (Rourke 1994a)
balanoccephala Rourke (Rourke 1994a)
elevata R.Br. (Rourke 1994a)
elongata (Rourke 1994a)
fucifolia Salisb. ex Knight (Rourke 1994a)
gremialis Rourke (Rourke 1994a)
Sideroxylon mite L. (Andrews 1994)
 Signal Hill, Cape Town (Joubert & Moll 1992)
Simocheilus purpureus (P.J.Bergius) Druce (Oliver 1993a)
Siphonoglossa Oerst. (Immelman 1992)
 size-class distribution (Midgley & Gobetz 1993)
 small plot sizes (Mustart *et al.* 1993)
 small-scale patterning (Campbell *et al.* 1995)
 Smith, E.C.A. (Weisser, Smith, Backer & Van Eeden 1992)
 Smith, G.F. (Bredenkamp & Smith 1993), (Glen & Smith 1995), (Leistner *et al.* 1995)
 soil properties (Campbell *et al.* 1995)
 soils (Eckhardt *et al.* 1993)
 Solanaceae (Bukenya & Carasco 1995), (Minne *et al.* 1994)
Solanum D'Arcy, subgenus (Bukenya & Carasco 1995)
Solanum Seithe, section (Bukenya & Carasco 1995)
Solanum L. (Bukenya & Carasco 1995)
aculeastrum Dunal (Bukenya & Carasco 1995)
aculeatissimum Jacq. (Bukenya & Carasco 1995)
aethiopicum L. (Bukenya & Carasco 1995)
aethiopicum Gilo group (Bukenya & Carasco 1995)
aethiopicum Shum group (Bukenya & Carasco 1995)
albicaule Kotschy ex Dunal (Bukenya & Carasco 1995)
americanum Mill. (Bukenya & Carasco 1995)
anguivi Lam. (Bukenya & Carasco 1995)
benderianum Schimp. ex Dammer (Bukenya & Carasco 1995)
coagulans Forssk. (Bukenya & Carasco 1995)
cyaneo-purpureum De Wild. (Bukenya & Carasco 1995)
florulentum Bitter (Bukenya & Carasco 1995)
giganteum Jacq. (Bukenya & Carasco 1995)
grossedentatum A.Rich. (Bukenya & Carasco 1995)
hastifolium Hochst. ex Dunal (Bukenya & Carasco 1995)
incanum L. (Bukenya & Carasco 1995)
kagehense group (Bukenya & Carasco 1995)
macrocarpon L. (Bukenya & Carasco 1995)
mammosum L. (Bukenya & Carasco 1995)
mauritanum Scop. (Bukenya & Carasco 1995)
melongena L. (Bukenya & Carasco 1995)
nakurense C.H.Wright (Bukenya & Carasco 1995)
nigrum L. subsp. *nigrum* (Bukenya & Carasco 1995)
renschii Vatke (Bukenya & Carasco 1995)
runsoriense C.H.Wright (Bukenya & Carasco 1995)
sarrachoides Sendtn. (Bukenya & Carasco 1995)
scabrum Mill. (Bukenya & Carasco 1995)

Solanum (cont.)

- seaforthianum *Andrews* (Bukanya & Carasco 1995)
 taitense *Vatke* (Bukanya & Carasco 1995)
 tarderemotum *Bitter* (Bukanya & Carasco 1995)
 terminale *Forssk.* (Bukanya & Carasco 1995)
 subsp. *inconstans* (*C.H.Wright*) *Heine* (Bukanya & Carasco 1995)
 subsp. *sanaganum* (*Bitter*) *Heine* (Bukanya & Carasco 1995)
 subsp. *terminale* *Heine* (Bukanya & Carasco 1995)
 tuberosum *L.* (Bukanya & Carasco 1995)
 usambarense *Bitter & Dammer* (Bukanya & Carasco 1995)
 villosum *Mill.* (Bukanya & Carasco 1995)
 welwitschii *C.H.Wright* (Bukanya & Carasco 1995)
 wendlandii *Hook.* (Bukanya & Carasco 1995)
 wrightii *Benth.* (Bukanya & Carasco 1995)
- South Africa (Allsopp & Stock 1993), (Barker & Ellis 1991), (Burrows & Crouch 1995), (Eckhardt *et al.* 1993), (Gorter 1993), (Immelman 1992), (Oliver & Oliver 1995), (Rourke 1991a), (Roux 1995), (Smith 1995), (Snijman 1991), (Spies *et al.* 1991), (Steiner 1992), (Van Reenen 1995), (Weisser, Smith, Backer & Van Eeden 1992)
- southern
 Africa (Barker 1994), (Browning *et al.* 1995), (Fellingham & Meyer 1995), (Hennessy & Rodman 1995), (Leistner *et al.* 1995), (Moffett 1994), (Oliver & Oliver 1994), (Perold 1994a–d; 1995a, b, d), (A. Louise Schutte 1994), (Smith 1995), (Struck 1994)
 Cape (Oliver & Fellingham 1991), (Schutte & Van Wyk 1992), (Weisser, Whitfield & Hall 1992)
 Namibia (Snijman 1992)
 Transvaal (Myburgh *et al.* 1992)
 southwestern Cape (Oliver 1993b), (Oliver & Fellingham 1994), (Oliver *et al.* 1992), (Rourke 1994a, b), (A.L. Schutte 1992), (Snijman 1991)
- Spathysia* Nees ex Trevis. (Perold 1993d)
- species
 distribution (O'Callaghan 1994a–d)
 lists (Geldenhuys 1992)
 species-area curves (Geldenhuys 1992)
 Spies, J.J. (Minne *et al.* 1994), (Strydom & Spies 1994a, b)
Spirulina platensis (Nordst.) Geitler (Silva 1991)
- sp. nov. (Barker 1993, 1995), (Barker & Ellis 1991), (Beyers 1995), (Brusse 1991; 1992a, b), (Bruyns 1993, 1995), (Burrows & Edwards 1993, 1995), (De Wet *et al.* 1991), (Edwards 1993), (Edwards *et al.* 1992), (Fellingham 1995), (Germishuizen 1991b, 1992), (Gorter 1993), (Herman 1995a), (Immelman 1991), (Koekemoer 1991), (Nicholas & Goyder 1992), (Oliver 1993b, c; 1995), (Oliver & Fellingham 1991, 1994), (Oliver & Oliver 1991, 1995), (Oliver *et al.* 1992), (Perold 1993d, f; 1994c), (Pienaar 1993), (Retief 1991, 1993), (Rourke 1994a, b), (A.L. Schutte 1992), (Schutte & Van Wyk 1991, 1992), (Smook & Ellis 1993), (Snijman 1991, 1992), (Steiner 1992)
- sporangium (Roux 1992)
 spores (Roux 1992)
 sporogenesis (Parkinson 1994)
- Stachytarpheta
 mutabilis (*Jacq.*) *Vahl* (Herman 1991)
 urticifolia (*Salisb.*) *Sims* (Herman 1991)
- Stapelieae, Asclepiadaceae (Albers & Meve 1991)
 stat. nov. (Burrows & Edwards 1993, 1995), (Edwards *et al.* 1992), (Oliver & Oliver 1994), (Schrire 1992), (Van Wyk & Van der Walt 1995)
Staurophora Willd. (Perold 1993b)
Stenostelma capense *Schltr.* (Bruyns 1995)
Stenotropis Hassk. *berteroi* Hassk. (Franklin Hennessy 1991)
Stichosiphon sp. (Silva 1991)
Stigmatorhynchus hereroensis *Schltr.* (Bruyns 1995)
 Stilbaceae (Rourke 1992b)
 Stilbe
 chorisepala Suess. (Rourke 1992b)
 mucronata N.E.Br. var. *cuspidata* H.Pearson (Rourke 1992b)
 verticillata (*Eckl. & Zeyh.*) *Moldenke* var. *cuspidata* (H.Pearson) *Moldenke* (Rourke 1992b)
Stizolobium P.Browne (Franklin Hennessy 1991)
deeringianum Bort (Franklin Hennessy 1991)
giganteum (Willd.) Spreng. (Franklin Hennessy 1991)
pruriens (L.) Medik. (Franklin Hennessy 1991)
 Stock, W.D. (Allsopp & Stock 1993)
- Stoebe*
 ericoides P.J.Bergius (Koekemoer 1993)
 sp. (Koekemoer 1993)
 sp. auctt. (Koekemoer 1993)
 torta Spreng. (Koekemoer 1993)
 tortilis DC. (Koekemoer 1993)
 stomata (Winter & Van Wyk 1994)
Stomatostemma N.E.Br. (Verhoeven & Venter 1993)
- Streptocarpus
 caeruleus *Hilliard & B.L.Burt* subsp. *longiflorus* *Hilliard & B.L.Burt* (Edwards *et al.* 1992)
 fasciatus *T.J.Edwards & C.Kunhardt* (Edwards *et al.* 1992)
 longiflorus (*Hilliard & B.L.Burt*) *T.J.Edwards* (Edwards *et al.* 1992)
- Strumaria *Jacq.*
 aestivalis *Snijman* (Snijman 1992)
 discifera *Marloth ex Snijman* (Snijman 1992)
 subsp. *bulbifera* *Snijman* (Snijman 1992)
 subsp. *discifera* (Snijman 1992)
 perryae *Snijman* (Snijman 1992)
 villosa *Snijman* (Snijman 1992)
- Strumariinae (Amaryllidaceae) (Snijman 1992)
- Styppeiochloa* *De Winter* (Barker 1994)
 sub-Saharan Africa (Perold 1995c)
 subgen. nov. (Nicholas & Goyder 1992, 1993)
 subgenera (Perold 1995c)
 subgenus
 Aspidonepsis *Nicholas & Goyder* (Asclepiadaceae) (Nicholas & Goyder 1992)
 Brevantherum (*Seithe*) *D'Arcy* (Bukanya & Carasco 1995)
 Chlamidium (*Corda*) *Biscl.* (Perold 1995b)
 Leptostemonum (*Dunal*) *Bitter* (Bukanya & Carasco 1995)
 Marchantia *L.* (Perold 1995b)
 Micropylum *Biscl.* (Perold 1995a)
 Plagiochasma (Perold 1995a)
 Potatoe (*G.Don*) *D'Arcy* (Bukanya & Carasco 1995)
 Ricciella (Marchantiales) (Perold 1992a)
 Solanum *D'Arcy* (Bukanya & Carasco 1995)
 Unguilibium *Nicholas & Goyder* (Asclepiadaceae) (Nicholas & Goyder 1992)
 Xeromannia (Aytoniaceae) (Perold 1994a)
 subsp. nov. (Barker 1993), (Burrows & Edwards 1993), (Snijman 1992)

- subspecies (Van Wyk & Van der Walt 1995)
 succession (Weisser, Whitfield & Hall 1992)
 Succulent Karoo (Struck 1994)
 surface sculpturing (Barker 1994)
 Swartberg, Western Cape (Fellingham 1995)
 Symphyogyna
 brasiliensis Nees & Mont. (Perold 1992b)
 harveyana Taylor (Perold 1993a)
 lehmanniana (Mont. & Nees) Gottsche et al. (Perold 1992b)
 podophylla (Thunb.) Mont. & Nees (Perold 1993a)
 rhizobola (Schwägr.) Nees & Mont. (Perold 1993a)
 rigida Steph. (Perold 1993a)
 serrata Mitten (Perold 1993f)
 spinosa Lindenb. & Gottsche (Perold 1993f)
 tenuicostata Steph. (Perold 1992b)
 valida Steph. (Perold 1992b)
 synonym. nov. (Edwards 1993), (Oliver 1993a)
 synonymy (Snijman & Williamson 1994)
 synopsis (Cilliers 1993), (Immelman 1991), (Koekemoer 1993)
 systematics (Barker 1993–1995), (Perold 1993a), (Roux 1993b)
 Talaromyces *C.R.Benj.* (A. Louise Schutte 1992)
 tannins (Brooks & Owen-Smith 1994)
 tapetal organisation (Parkinson 1994)
 Tarchonanthus
 camphoratus auct. non L. (Cilliers 1993)
 dentatus Thunb. (Cilliers 1993)
 ellipticus Thunb. (Cilliers 1993)
 glaber L.f. (Cilliers 1993)
 lanceolatus Thunb. (Cilliers 1993)
 racemosus Thunb. (Cilliers 1993)
 Targionia (*P.Micheli*) L. (Perold 1993e)
 bifurca Nees & Mont. (Perold 1993e)
 capensis Huebener (Perold 1993e)
 convoluta Lindenb. & Gottsche (Perold 1993e)
 hypophylla L. var. *capensis* (Huebener) Krauss (Perold 1993e)
 lorbeeriana Müll.Frib. (Perold 1993e)
 mexicana Lehm. & Lindenb. (Perold 1993e)
 micheli Corda (Perold 1993e)
 Targioniaceae (Perold 1993e)
 Targionioideae (Perold 1993e)
 taxa, new (De Wet et al. 1991)
 taxonomic review (Roux 1995)
 Taylor, H.C. (Mustart et al. 1993)
 Tayloria Hook. (Van Rooy 1992)
 Teldea Mont. ex Webb & Berthel. (Perold 1995a)
 teleomorphs (A. Louise Schutte 1994)
 temperature (Struck 1994)
 Tenaris *schultzei* (Schltr.) E.Phillips (Bruyns 1995)
 Tessellina Dumort. (Perold 1993d)
 Tetraclinis articulata (Vahl) Mast. (Rourke 1991a)
 Tetradapa Osbeck javanorum Osbeck (Franklin Hennessy 1991)
 Theron, G.K. (Myburgh et al. 1992)
 Thoracosperma galpinii N.E.Br. (Oliver 1993a)
 thorns (Brooks & Owen-Smith 1994)
 Thuja articulata Vahl (Rourke 1991a)
 Thymelaeaceae (Beyers & Van der Walt 1994, 1995)
 timing (Struck 1994)
 Torva Nees, section (Bukanya & Carasco 1995)
 transects (Oryem-Origa et al. 1995)
 Transkei (Brusse 1992a), (Shackleton et al. 1991)
 Transvaal (Retief 1993)
 Eastern (Zambatis 1994)
 Lowveld (Zambatis 1994)
 Northern (Brooks & Owen-Smith 1994)
 southern, Grootvlei area (Myburgh et al. 1992)
 Trapelia rediviva Brusse (Brusse 1991)
 Trapeliopsis parilis Brusse (Brusse 1991)
 tribe Cynodonteae (Chloridoideae, Poaceae) (Strydom & Spies 1994a, b)
 Tribolium Desv. (Barker 1994)
 Trichogyne lerouxiae Beyers (Beyers 1995)
 trichomes (Winter & Van Wyk 1994)
 Trichomycetes (Gorter 1993)
 Troskie, T.H. (Spies et al. 1994)
 Tyloglossa, section (Justicia) (Immelman 1992)
 type specimen (Glen & Hardy 1991)
 typification (Glen & Smith 1995), (Glen et al. 1995), (Buys & Van der Walt 1995), (Perold 1991a, b), (Vorster & Maggs 1992)
 Uganda (Bukanya & Carasco 1995), (Oryem-Origa et al. 1995)
 Uilkraals River, Western Cape (O'Callaghan 1994c)
 ultrastructure (Parkinson 1994)
 Umtiza Nature Reserve, East London (Midgley & Gobetz 1993)
 Unguilibium Nicholas & Goyder (Nicholas & Goyder 1992, 1993)
 Uniflos Koekemoer, section of Disparago (Koekemoer 1993)
 urban open space (Roberts 1993)
 Urediniomycetes (Van Reenen 1995)
 Urochlaena Nees (Barker 1994)
 Ursinia brachyloba (Kunze) N.E.Br. (Herman 1995)
 valuable books missing (1995: 25,1: 132)
 Van der Merwe, E. (Spies et al. 1991)
 Van der Vyver, E. (Spies et al. 1994)
 Van der Walt, J.J.A. (Beyers & Van der Walt 1994, 1995), (Buys & Van der Walt 1994a, b; 1995), (Dreyer & Van der Walt 1991), (Oliver et al. 1992), (Van Wyk & Van der Walt 1995)
 Van Eeden, S. (Weisser, Smith, Backer & Van Eeden 1992)
 Van Jaarsveld, E.J. (Smith et al. 1994)
 Van Rooy, J. (De Wet et al. 1991)
 Van Rooyen, N. (Eckhardt et al. 1993)
 Van Wyk, B-E. (Cron et al. 1994), (Oliver et al. 1992), (Schutte & Van Wyk 1991, 1992), (Smith, Van Wyk & Glen 1994), (Smith, Van Wyk & Van Jaarsveld 1994), (Winter & Van Wyk 1994)
 Van Wyk, S.M.C. (Spies et al. 1994)
 vegetation (Eckhardt et al. 1993), (McDonald 1993c), (Midgley & Gobetz 1993), (O'Callaghan 1994a–d), (Roberts 1993), (Roux 1992), (Weisser, Smith, Backer & Van Eeden 1992)
 dynamics (Weisser, Smith, Backer & Van Eeden 1992)
 structures (Campbell et al. 1995)
 Venter, A.M. (Minne et al. 1994)
 Venter, H.J.T. (Minne et al. 1994), (Verhoeven & Venter 1993)
 Venter, S. (Edwards et al. 1992)
 Verbenaceae (Herman 1991, 1995a)
 vestiture (Winter & Van Wyk 1994)
 Vigna kokii B.J.Pienaar (Pienaar 1993)
 vigour of blooming (Struck 1994)
 Vincent, P.L.D. (Cron et al. 1994)
 Vitaceae (Retief 1993)

- Von Breitenbach, Friedrich (Glen & Welman 1995)
Wacchendorfia Burm.f. (Helme & Linder 1992)
Wachendorffia Cothen. (Helme & Linder 1992)
Wachendorfia Burm. (Helme & Linder 1992)
brachyandra W.F.Barker (Helme & Linder 1992)
brevifolia Sol. ex Ker Gawl. (Helme & Linder 1992)
elata Salisb. (Helme & Linder 1992)
graminea Thunb. (Helme & Linder 1992)
graminifolia L.f. (Helme & Linder 1992)
herbertii Sweet (Helme & Linder 1992)
hirsuta Thunb. (Helme & Linder 1992)
paniculata Burm. (Helme & Linder 1992)
parviflora W.F.Barker (Helme & Linder 1992)
tenella Thunb. (Helme & Linder 1992)
thyrsiflora Burm. (Helme & Linder 1992)
Ward, C.J. (Browning *et al.* 1995)
Ward-Hilhorst, Ellaphie (In memoriam 1995)
weeds (Bukunya & Carasco 1995)
Welman, W.G. (De Wet *et al.* 1991), (Glen & Welman 1995)
West Coast Renosterveld (Myburgh *et al.* 1992)
western Cape (Bruyns 1993), (Oliver 1993c), (Steiner 1992)
Western Cape (O'Callaghan 1994a-d), (Oliver 1995), (Oliver & Oliver 1995)
White, Frank (In memoriam 1995)
Whitfield, A.K. (Weisser, Whitfield & Hall 1992)
Wiesnerellaceae (Perold 1993b)
Wigandia Neck. *disparaginoides* Less. (Koekemoer 1993)
Wilderness lakes (Weisser, Whitfield & Hall 1992)
Williamson, G. (Snijman & Williamson 1994)
winter rainfall (Struck 1994)
woody species (Campbell *et al.* 1995)
Xenococcaceae (Chroococcales, Cyanophyceae) (Silva 1991)
Xenococcus acervatus Setch. & N.L.Gardner (Silva 1991)
Xeromannia Grolle, subgenus (Perold 1994a)
Xyphanthus Raf. (Franklin Hennessy 1991)
Zambia (Perold 1993c)
Zeyherella magalismontana (Sond.) Aubrév. & Pellegr. (Bredenkamp & Smith 1993)
Zietsman, P.C. (Du Preez & Zietsman 1991)
Zimbabwe (Campbell *et al.* 1995), (Van Rooy 1992)
zonation (O'Callaghan 1994a-d)
Zoophthalmum P.Browne (Franklin Hennessy 1991) (should be *Zoophthalmum*)
Zululand (Weisser, Smith, Backer & Van Eeden 1992)
Zygophyllaceae (Retief 1991)
Zygophyllum chrysopteron Retief (Retief 1991)

ALSO AVAILABLE

BOTHALIA — Contents to vols 1–20

by H.F. Glen, B.A. Momberg & E. Potgieter (1991)

comprising:

a brief history of Bothalia; a list of all papers published; a list of all authors, co-authors, keywords and titles; and tables with publication dates, major subjects covered and some information on authors.

Price: R9,10 (incl. VAT, excl. postage)

Available from the Bookshop
National Botanical Institute
Private Bag X101
Pretoria 0001
RSA

Tel. (012) 804-3200

Fax. (012) 804-3211